

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>FORD</u>	<u>SW 1/4 SW 1/4 SW 1/4</u>	<u>26</u>	T <u>28</u> S	R <u>23</u> E/W


Distance and direction from nearest town or city street address of well if located within city?

3N3W Kingsdown Kansas

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #:	Application Number:
City, State, ZIP Code:	

Kingsdown Kansas

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
--	---------------------------	------------



DEPTH OF COMPLETED WELL 160 ft. ELEVATION: 138 ft. 3. 5-19-81 ft.

Depth(s) Groundwater Encountered 1. 138 ft. 2. 138 ft. 3. 138 ft.

WELL'S STATIC WATER LEVEL 138 ft. below land surface measured on mo/day/yr 5-19-81

Pump test data: Well water was 138 ft. after 1 hours pumping 3 gpm

Est. Yield 15 gpm. Well water was 138 ft. after 1 hours pumping 3 gpm

Bore Hole Diameter 8 3/4 in. to 160 ft., and 160 in. to 160 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well PASTURE

Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded

Blank casing diameter 5 in. to 140 ft., Dia. 12 in. to 15 ft., Dia. 15 in. to 15 ft., Dia. 15 in. to 15 ft.

Casing height above land surface 12 in., weight 15 lbs./ft. Wall thickness or gauge No SDR-26

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
1 Steel	8 RMP (SR)	11 Other (specify)
2 Brass	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 140 ft. to 160 ft., From 140 ft. to 160 ft., From 140 ft. to 160 ft., From 140 ft. to 160 ft.

GRAVEL PACK INTERVALS: From 125 ft. to 160 ft., From 125 ft. to 160 ft., From 125 ft. to 160 ft., From 125 ft. to 160 ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
-------------------	---------------	----------------	-------------	---------

Grout Intervals: From 0 ft. to 10 ft., From 10 ft. to 10 ft., From 10 ft. to 10 ft., From 10 ft. to 10 ft.

What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well

1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage PASSING CATTLE

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Topsoil	0	3	Topsoil
3	98	19/80 Clay	3	98	19/80 Clay
98	126	Sand & Gravel with Shale	98	126	Sand & Gravel with Shale
126	160	GRAVEL	126	160	GRAVEL

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-19-81</u> and this record is true to the best of my knowledge and belief. Kansas
--

Water Well Contractor's License No. 224 This Water Well Record was completed on (mo/day/yr) 5-19-81

under the business name of Carl Hays Water Well Sew. by (signature) Carl Hays

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

NW

SEC.

1/4

SW

SW

SW