Wate	D WE	II. RECORD	Form W	WC-5	Division of Wate	r Resources App. N	20120684	
WATER WELL RECORD 1 LOCATION OF WATER WELL:			Fraction			Township No.	Range Number	
i	County: Ford			14 SW 14 NE 14 NE 14		T 28 S	R 23 □E ☑W	
Stree	Street/Rural Address of Well Location; if unknown, distance & direction					24 T 28 S R 23 ☐E ☑W Global Positioning System (GPS) information:		
from	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
		, 1 1/4 West of Ford	,	_ 	Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Vincent Oil					Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 155 N. Market. Ste 700					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Wichita, KS 67202					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
VVICINA, NO 07 202					Est. Accuracy:			
3 LOCATE WELL 209								
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 208 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)							(2)	
SECTION BOX: Depth(s) Groundwater Encountered (1)						ce measured on mo/day/vr 9-18-12		
				ll water was				
		·			ft. after hours pumpinggpm			
WNW NE EST. YIELD N/Agpm. Well water was								
67	,	│ │					Other (Specify below)	
SW SE								
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
	S If yes, mo/day/yr sample was submitted							
water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .5 in. to .208 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface18								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 208 ft. to 168 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From 208 ft. to 20 ft., From ft. to								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None								
Direction from well								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	4	Top soil						
4	132	Tan clay		-				
132	204	Sand & gravel- med	lo.					
204	208	Dark gray & yellow sha	lie					
				 -				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .9-18-12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 9-27-12								
under the business name of Rosencrantz-Bemis by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, bl	ue, pink) to	Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geolo	gy Section, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								