

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID --1643563

WELL ID

Paper Original Record Correction Change in Well Use

LOCATION OF WATER WELL

Latitude	37.645153	Longitude	-99.863161	Section	5	Township	28	Range	23	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Fraction	NE ¼ NE ¼ NW ¼
Datum	WGS84	Elevation	2513	County	Ford							

WATER WELL OWNER

Name	Alan Steele
Business	
Address	11929 Ford Ensign KS 67842
Well location	
<input checked="" type="checkbox"/> at owner's address	

WELL WATER USE

Domestic Household

COMPLETION

Depth of completed well: 260 ft.

Depth(s) groundwater encountered:
 (1) 130 ft.; (2) _____ ft.;
 (3) _____ ft.; (4) dry well

Static water level in well: 130 ft.

measured below land surface on (mm/dd/yy): 05/15/2022
 measured above land surface on (mm/dd/yy): _____

Estimated yield: _____ gpm
 Water level was: _____ ft. after _____ hours
 pumping _____ gpm

Pump installed? Yes No

Water well disinfected? Yes No
 Date disinfected (mm/dd/yy): 05/15/2022

Aquifer, if known: _____

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

No potential source of contamination within 100 feet.

CONSTRUCTION

Borehole interval: from 0 to 260 ft. Borehole diameter: 10.5 in.

Casing height above land surface: 12 in.
 If casing height is less than 12 in. has a variance been approved?* Yes No
 *variance not required for monitoring or environmental remediation wells

Casing type: ThermalPlastic

Blank casing interval: 0 ft. to 200 ft.
 Blank casing diameter: 6 in.
 Casing joints: Splines
 Weight: _____ lbs/ft.
 Wall thickness or gauge no.: SDR17

Blank casing interval: _____ ft. to _____ ft.
 Blank casing diameter: _____ in.
 Casing joints: _____
 Weight: _____ lbs/ft.
 Wall thickness or gauge no.: _____

Grout interval: 5 ft. to 60 ft.
 Grout material: Bentonite

Grout interval: _____ ft. to _____ ft.
 Grout material: _____

Screen / perforation material: PVC
 Screen / perforation openings: Saw cut

Screen / perforation intervals:
 From 200 ft. to 260 ft.
 Slot size 32 unit millimet
 From _____ ft. to _____ ft.
 Slot size _____ unit _____

Gravel pack intervals:
 Gravel pack not used: Gravel size _____ in
 From 0 ft. to 5 ft.
 Gravel pack not used: Gravel size _____ in
 From 60 ft. to 260 ft.

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
Attach	Attach	Attached

COMMENTS

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed reconstructed pursuant to the stated water well contractor's license and was completed on 05/15/2022. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on _____ under the business name of Nash Water Well Service, LLC, Kansas Water Well Contractor's License No. 846 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Trevor Nash.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1643563
Well Owner	Alan Steele
Contractor	Nash Water Well Service, LLC

Lithology

From	To	Lithology Intervals
0	20	sand, fine sand brown clay
20	40	sand, fine coarse sand brown clay
40	80	sand, fine coarse sand
80	100	sand, fine coarse sand tan brown clay
100	140	, fine coarse sand tan brown clay streaks and layers
140	160	, brown clay fine medium sand
160	200	, fine coarse sand with tan clay streaks thin
200	247	, fine coarse sand with small to large gravel
247	256	, fine coarse sand
256	260	, Blue Clay