


1. LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: Ford		NW ¼ SE ¼ NE ¼		7		T 28 S		R 24 EW			
Distance and direction from nearest town or city street address of well if located within city? From Dodge City south on Hwy. 283 - 6½ Mi. So., 1-3/4 Mi. E & ½ Mi. So.											
2. WATER WELL OWNER: E. K. Mace RR#, St. Address, Box # : Spearville City, State, ZIP Code : Kansas 67876 Board of Agriculture, Division of Water Resources Application Number: 23510											
3. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4. DEPTH OF COMPLETED WELL: 230 ft. ELEVATION:								
<div style="text-align: center;">N W E S</div> 			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.								
			WELL'S STATIC WATER LEVEL 156 ft. below land surface measured on mo/day/yr 5-26-88								
			Pump test data: Well water was ft. after hours pumping gpm								
			Est. Yield gpm: Well water was ft. after hours pumping gpm								
			Bore Hole Diameter 28 in. to 230 ft., and in. to ft.								
			WELL WATER TO BE USED AS:								
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well								
			Was a chemical/bacteriological sample submitted to Department? Yes.....No. X; If yes, mo/day/yr sample was submitted								
			Water Well Disinfected? Yes No X								
5. TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X											
7 Fiberglass Threaded											
Blank casing diameter 16 in. to 185 ft., Dia in. to ft., Dia in. to ft.											
Casing height above land surface 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. .250											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 185 ft. to 230 ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From 20 ft. to 230 ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
6. GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? North How many feet? 60'											
FROM		TO		LITHOLOGIC LOG		FROM		TO		LITHOLOGIC LOG	
				See attached log							
7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-26-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/yr) 8-26-88 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) <i>Nora Keller</i>											
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.											

divisional

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

E.K.Mace
Ford Co.
5-4-1988

Location. NE 7-28-24

From Dodge City to stop light on 283
hiway 2 miles East 1 mile So. $\frac{1}{2}$ mile West
 $\frac{1}{2}$ mile So. 60' south of old well

Static Water level 156

Test # 1

0 2 Top soil
2 84 Brown clay
84 132 Brown sandy clay
132 142 Fine sand 50% clay
142 155 Fine to medium sand & gravel (loose)
155 182 Fine to medium sand & gravel streak of gravel
medium coarse (Loose)
182 185 Fine sand Tight
185 197 Fine to medium sand & gravel (loose)
197 215 Brown sandy clay
215 219 Brown white rock cement (loose)
219 254 Brown sandy clay
254 282 Yellow clay
282 284 Shale

Drill on this one