
USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215



						Тор	eka, Kansas 66620	
	County	ty Fraction			number	Township number	Range number	
1. Location of well:	Ford	NE 1/4 NE 1/4 NE	IE 1/4 NE 1/4 NE 1/4			т <b>28</b> s	R 24 W	E/W
	ction from nearest town or city: 6	miles south-		er of well		sse I. Wilcoxer	•	
west of Ford, Kansas R.R. or Street address of well location if in city:								
City, s					ode: Do	dge City, Kansa		
4. Locate with "X" in section below:  N						6. Bore hole dia.9_718 in Well depth 267_ft.	. Completion date _ 4/25/78	
1   x						7 Cable tool X_ Rotary	Driven Dug	•
NW NE						BoredReverse rotary  8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other  9. Casing: MaterialPVC _ Height: Above or below		
© W								
	1					Threaded Welded _XX	iSurface12	in.
S						RMP PVC_XX		
1 Mi				From	-	Dia. <u>5</u> in. to <u>267</u> ft. dep Dia. <u> </u>	oth Wall Thickness: in	nches or 265
5. Type and color of material					То	10. Screen; Manufacturer's		
	,	<b>W</b>		0	_	Pumpo	o Cut	
Top soil					3	Type PVC	Dia511	
Clay				3	130	Slot/games 220 fine Set between 217	Length	
				120	150	ft.	and	ft.
Cemented sand				130	150	Gravel pack? <b>Yes</b> Size ro		
Med. to lar. sand & gravel with clay streaks				150	267	11. Static water level:  141 ft. below land su		o./day/yr. 14/78
Yellow clay				267	270	12. Pumping level below lan	d surfaces:	
1011011 0111						ft. after		_ g.p.m.
<del></del>						ft. after Estimated maximum yield		g.p.m.   g.p.m.
						13. Water sample submitted:		./day/yr.
The state of the s						Yes No	Date	
				, '		14. Well head completion: Pitless adapter	Inches above	arade
					,	Well grouted? Yes		
					·	With XX Neat cement	Bentonite	Concrete
The second second						epth: From 4 ft. to		·
				· :		16. Nearest source of possible ft20 Direction	e contamination: ol	d well
VP mile a mediancy agreement				y.		Well disinfected upon compl		No
	· ANGLE	and the second of the second o	-1 -1	* 1		17. Pump:	Not installed Aermotor	70
	MI-MARKET III. AT		टे <b>ब</b> स्ट्रिक	<b>)</b> 3		Manufacturer's name  Model number SD12		olts220
						Length of drop pipe 210	ft. capacity 10	
						Туре:		
				-		XX Submersible Jet	Turbin Recip	ocating
	(Use a second	sheet if needed)				Centrifugal	Other	- I (A
18. Elevation:	19. Remarks					20. Water well contractor's	certification:	
1	old Weil	not plugg	001			This well was drilled under m	y jurisdiction and thi	s report
Topography:		- 00	'			is true to the best of my know	_	252
Topography:						Friesen Windm Business name	114	
Slope						Address Meade, Ka	nsas 6786	cense No.
XX Upland						Signed Signed	Date	<u>5-3-24</u>
Valley						Authorized rep	resentative	4