

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction SE 1/4 25' west center 1/4 1/4 1/4	Section number 36	Township number T 28	Range number S R 24 E/W
2. Distance and direction from nearest town or city: 12 south-6 1/4 east of Dodge City Street address of well location if in city:			3. Owner of well: Bell Farms R.R. or street: City, state, zip code: Dodge City, Kansas			
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map:		6. Bore hole dia. 28 in. Completion date 6-18-76 Well depth 244 ft.	
			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
			9. Casing: Material meta Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 10 in. RMP 16 PVC 244 Weight 31.66 lbs./ft. Dia. 16 in. to 244 ft. depth Wall Thickness: inches or Dia. 16 in. to 244 ft. depth gage No. 138		10. Screen: Manufacturer's name W.A. Brown Type 10% Free-flow Dia. 16 Slot/gauze 1/8 Length 120 Set between 124 ft. and 244 ft. Gravel pack? yes Size range of material 1/2 down	
5. Type and color of material			From	To	11. Static water level: 125 ft. below land surface Date 5-24-76	
Surface			0	3	12. Pumping level below land surfaces: 145 ft. after 1 hrs. pumping 1000 g.p.m. 170 ft. after 1 hrs. pumping 2000 g.p.m. Estimated maximum yield 2500 g.p.m.	
Brown clay			3	131	13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
Half med. sand			131	139	14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> 10 inches above grade	
Brown clay			139	154	15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
Med. sand and gravel			154	166	16. Nearest source of possible contamination: NA ft. 0 Direction 0 Type 0 Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Fine sand with 20% clay mixed			166	175	17. Pump: Not installed Manufacturer's name Goulds Model number 1P1MC HP 100 Volts 0 Length of drop pipe 200 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Fine sand			175	180	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Ace-Hi International 190 Business name Dodge City, Kansas License No. 05E Address Dodge City, Kansas Signed Carl E. Jittel Date 6-29-76 Authorized representative	
Med. sand and gravel			180	238		
Yellow and green clay			238	245		
Blue shale			245	255		
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						