				LL RECORD Fo	orm WWC-5	KSA 82a-1				
→	ON OF WAT		Fraction		Sect	ion Number	Township Nun		Range	
County:			NW 1/4 SE			12	т 28	S	R 25	<u>E</u> ₩
		from nearest town of	•		•					
1		ce City - 8 m		n hiway 283	then 3/	4 miles E	ast & 1/4 m	ile No	orth	
-	R WELL OW	0	e Scoggins							(1) (1)
	Address, Box		Brd Ave.				-		Division of Wa	ter Resources
	e, ZIP Code		City, Kansas				Application N			
LOCATI	E WELL'S LO	OCATION WITH 4								
~!A Y	IN SECTION	1 De	epth(s) Groundwater	Encountered 1		ft. 2.		ft. 3	<u></u>	ft.
ī [	Ţ	· · · · · · · · · · · · · · · · · · ·	ELL'S STATIC WAT	ER LEVEL138	} ft. b∈	low land surfa	ce measured on n	no/day/yr	4-17-	89
	NW	- NF -		data: Well water v						J. 1
	1	Es	st. Yield 50							
. w ⊢	i	<sub>E</sub> Bo	ore Hole Diameter	8 in. to	.205	ft., ar	nd	in.	to	
¥ w	!	i w	ELL WATER TO BE	USED AS: 5	Public water	supply 8	Air conditioning	11	Injection well	
î L	SW I	SE	1 Domestic				Dewatering		Other (Specify	
	'''	"x	2 Irrigation	4 Industrial 7	Lawn and g	arden only 10	Monitoring well .	,		
1 L	<u>i</u>		as a chemical/bacter	iological sample sub	mitted to De	partment? Yes	NoXX	; If yes,	mo/day/yr sar	nple was sub-
		mit	tted			Wate	r Well Disinfected?	Yes X	X No	N 17 1
5 TYPE (	OF BLANK C	ASING USED:	5 W	rought iron	8 Concre	te tile	CASING JOIN	TS: Glued	, XX, Clam	nped
1 St	eel	3 RMP (SR)	6 A	sbestos-Cement	9 Other (	specify below)		Weld	ed	
2 PV		4 ABS		berglass					nded	
		5 in.								
		and surfacel		veight	.psi	Ibs./ft.	Wall thickness or	gauge No	oSDR .2	1
TYPE OF	SCREEN O	R PERFORATION M	MATERIAL:		7 PV		10 Asbes	stos-ceme	nt	
1 Ste	eel	3 Stainless ste	eel 5 F	berglass	8 RMI	P (SR)	11 Other	(specify)		
2 Br		4 Galvanized		oncrete tile	9 ABS	3	12 None	used (op	en hole)	
SCREEN	OR PERFOR	RATION OPENINGS	ARE:	5 Gauzed	wrapped		8 Saw cut		11 None (op	en hole) .
1 Cc	ontinuous slo	t 3 Mill s	slot	6 Wire wra	apped		9 Drilled holes			
2 Lo	ouvered shutt	er 4 Key p	punched	7 Torch cu			0 Other (specify)			
SCREEN-	PERFORATE	ED INTERVALS:	From 180	ft. to	200	ft., From		ft. to	o. <i></i>	
				ft. to						
(	GRAVEL PA	CK INTERVALS:	From 3.2	ft. to	205	ft., From		ft. t	o	ft.
			From	ft. to		ft., From		ft. te		ft.
6 GROUT	T MATERIAL		nent 2 Ce				therhole p			
Grout Inter	rvals: From	nft.	to32	ft., From	ft. t	o	ft., From	· · · · · · ·	ft. to	
What is th	ne nearest so	urce of possible cor	ntamination:			10 Livesto	ck pens		bandoned wat	
	eptic tank	4 Lateral li		7 Pit privy		11 Fuel st	•		il well/Gas we	
	ewer lines	5 Cess po		8 Sewage lagoor	1	12 Fertilize	•	16 O	ther (specify b	elow)
	-	er lines 6 Seepage	e pit	9 Feedyard			•			
	from well?	East	151010000			How many		0000	UTED VALO	
FROM	TO 20		LITHOLOGIC LOG		FROM	то	PLU	GGING II	NTERVALS	
0	20	Top soil &	стау							-
20	60	<u>Clay</u>								
60	80	Clay & fine	sand							
80	100	Fine sand		1						
100	120		o medium wit	n some coars	e sand					
120	140	Medium to c								
140	200	Medium to c								
200	220		& calachie	<u>.</u>						
220	235		ay layers &	blue shale						
235	240	Blue shale								
7 CONTR	RACTOR'S	OR LANDOWNER'S	CERTIFICATION:	This water well was	(1) construc	ted, (2) recon	structed, or (3) plu	gged und	ler my jurisdic	tion and was
		year)Apri								
		s License No								
		me of Joe's W							<b>J</b>	
		pewriter or ball point pen.							opies to Kansas D	epartment
"101110										
of Heal	ith and Environm	ent, Bureau of Water Prote	ection, Topeka, Kansas 66	620-7320. Telephone: 913	3-296-5514. Sen	d one to WATER V	VELL OWNER and retain	n one for yo	ur records.	