


1) LOCATION OF WATER WELL: County: FORD		Fraction: NW 1/4 NW 1/4 SW 1/4		Section Number: 20		Township Number: T 28 S		Range Number: R 25 E/W	
Distance and direction from nearest town or city street address of well if located within city? 8 1/2 South 3 West Dodge City, KS									
2) WATER WELL OWNER: Myron Nicholson					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box # : RR 1					Application Number:				
City, State, ZIP Code : Dodge City KS 67801									
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4) DEPTH OF COMPLETED WELL: 180 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. 132 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 132 ft. below land surface measured on mo/day/yr 2/12/84						
			Pump test data: Well water was N/A ft. after hours pumping gpm						
			Est. Yield 80 gpm: Well water was ft. after hours pumping gpm						
Bore Hole Diameter 9 in. to 180 ft., and in. to			WELL WATER TO BE USED AS:						
			5 Public water supply 8 Air conditioning 11 Injection well						
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well						
			Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was submitted						
			Water Well Disinfected? Yes X No						
5) TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 5 in. to 160 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 15 in., weight 250 lbs./ft. Wall thickness or gauge No. 250									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 160 ft. to 180 ft., From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 180 ft. to 20 ft., From ft. to ft., From ft. to ft.									
6) GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Pasture									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
0 4 Topsoil									
4 1000 Clay									
100 1300 SAND									
130 1320 Clay									
132 180 1/2 Gravel									
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/12/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 111 This Water Well Record was completed on (mo/day/year) 2/12/84 under the business name of Cross Delivery by (signature) Ray Dey									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									