WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

							1- 1- 1- 1- 1-
1. Location of well:	County	Fraction		_	Section	number	Township number Range number
	Ford	SW 1/4 S	SE 1/4 SE	1/4	26		T 28 S R 25 W
						or of well: Myron Nickleson	
11S on 283, W of Dodge City Street address of well location if in city:							R. R. 1
City, stati					ate, zip o	code:	Dodge City, KS 67801
4. Locate with "X" in section below: N							6. Bore hole dia. 28 in. Completion date Well depth 281 ft. 337-77
							7 Cable tool Rotary Driven Dug
NW NE E E E E E E E E E							Hollow rod Jetted Bored XX Reverse rotary
							8. Use: Domestic Public supply Industry
							XX Irrigation Air conditioning Stock
							Lawn Oil field water Other
							9. Casing: Material Steel Height: Above or below
S S						Threaded WeldedX _ Surface in in Surface	
ı ←							Dia. 16in. to 0 ft. depth Wall Thickness: inches or
5. Type and color of	material				From	То	Dia. 16in. to 125 ft. depth gage No 188
							10. Screen: Manufacturer's name
Surface				0	2	Type Bridge Dia. /6"	
07.						-	Slot/gauze188 Length
Clay				2	-71	Set between <u>125</u> ft. and <u>205</u> ft.	
Clay & Caliche				71	101	Gravel pack? X Size range of material 1/4x5/8	
Cemented Gravel & Caliche				101	103	11. Static water level: mo./day/yr.	
Fine Sand-Cemented				103	114	12. Pumping level below land surfaces: 230ft. after 2 hrs. pumping 1000 g.p.m.	
Clay & Caliche				114	124	l	
						Estimated maximum yieldg.p.m.	
Sand & Gravel				124	135		
Caliche				135	136	Yes X No Date 14. Well head completion:	
Water to the second sec						Pitless adapter	
Sand & Gravel				136	152	15. Well grouted? X	
Clay				152	160	With: Neat cement X Bentonite Concrete	
						Depth: From <u>0</u> ft. to <u>10</u> ft.	
Sand & Gravel				160	168	16. Negrest source of possible contamination: ft	
Clay				168	174	Well disinfected upon completion? Yes No	
M-3 Pt C				′		17. Pump: Not installed	
Med. Fine Sand				174	210	Manufacturer's name Western Land Roller Model number 12KBH HP 100 Volts	
Clay & Sand Layers				210	250	Length of drop pipe 220 ft. capacity 1000.p.m.	
Med. Fine Sand						Type:	
				250	265	Submersible X Turbine Jet Reciprocating	
Clay (Use a second sheet if needed)				265	281	Jer Keciprocating Other	
18. Elevation: 19. Remarks:						20. Water well contractor's certification:	
						This well was drilled under my jurisdiction and this report	
Topography:							is true to the best of my knowledge and belief. Woofter Drilling. Inc. 343
— Hill							Business name License No.
Slope							Address Hwy 56 Dodgo City KS
Valley							Signed Authorized representative Date
Valley							- Tomorizou roprosonyumo