2   Section	LOCATION OF WATER WELL:   Fraction   SW   1/4   SW	ft. ELEVATft. 2. elow land surfa	Township Number Range Number T 28 S R 25 E/V  Board of Agriculture, Division of Water Resound Number: N/A  FION: 2619  ft. 3
2   Section	Distance and direction from nearest town or city street address of well if located within city?  12 miles south and 2 west of Dodge City, Kansas  WATER WELL OWNER: City of Dodge City RR#, St. Address, Box #: 705 lst. Street  City, State, ZIP Code : Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth OF COMPLETED WELL	ft. ELEVATft. 2. slow land surfa	Board of Agriculture, Division of Water Resound Prion Number: N/A  FION: 2619  ft. 3.  ace measured on mo/day/yr . 1-6-84
issuence and direction from nearest lown or only steed address of well if scalars within only?  I miles south and 2 west of Dodge Citry, Kansas  WATER WELL OWNER: Citry of Dodge Citry, Kansas  FR. S. Address Sox * 705 Lat. Street  Board of Agriculture, Division of Water Resourcer  By, Sainz, JiP Code  Sy, Sainz, JiP Code	Distance and direction from nearest town or city street address of well if located within city?  12 miles south and 2 west of Dodge City, Kansas  WATER WELL OWNER: City of Dodge City  RR#, St. Address, Box # : 705 lst. Street  City, State, ZIP Code : Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth (S) Groundwater Encountered 1 . 159  WELL'S STATIC WATER LEVEL . 159 . ft. be Pump test data: Well water was . None Est. Yield . None. gpm: Well water was Bore Hole Diameter . 6 . in. to . 265 . WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field wate 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Del mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (s 2 PVC 4 ABS 7 Fiberglass  Blank casing diameter . 2 . in. to . 242 . in., weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 2 Brass 4 Galvanized steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From . 137 ft. to . 207. From	. ft. ELEVAT ft. 2. low land surfa 2 ft. aft	Board of Agriculture, Division of Water Resou Application Number: N/A  FION: 2619  ft. 3.  ace measured on mo/day/yr 1-6-84
12 miles south and 2 west of Dodge City, Kanasa   Water Method   Water Resources   Water Method   Water Resources   Wa	WATER WELL OWNER: City of Dodge City RR#, St. Address, Box #: 705 1st. Street City, State, ZIP Code: Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WW	ft. 2. slow land surfa e ft. aft ft. aft	Application Number: N/A  FION: 2619  ft. 3  ace measured on mo/day/yr 1-6-84
WATER WELL OWNER: City of Dodge City	WATER WELL OWNER: City of Dodge City  RR#, St. Address, Box # : 705 1st. Street  Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1 159  WELL'S STATIC WATER LEVEL 159 ft. be  Pump test data: Well water was None  Est. Yield None. gpm: Well water was  Bore Hole Diameter 6 in. to 265  WELL WATER TO BE USED AS: 5 Public water  1 Domestic 3 Feedlot 6 Oil field wate  2 Irrigation 4 Industrial 7 Lawn and ga  Was a chemical/bacteriological sample submitted to Del mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (steel)  Casing height above land surface 24 in., weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC  1 Steel 3 Stainless steel 5 Fiberglass 8 RMF  2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped  1 Continuous slot 3 Mill slot 6 Wire wrapped  2 Louvered shutter 4 Key punched 7 Torch cut  SCREEN-PERFORATED INTERVALS: From 137 ft. to 207.  From ft. to 207.  From ft. to	ft. 2. slow land surfa e ft. aft ft. aft	Application Number: N/A  FION: 2619  ft. 3.  ace measured on mo/day/yr 1-6-84
Past	RR#, St. Address, Box #: 705 1st. Street  Dity, State, ZIP Code: Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  NOTE TO SECTION BOX: Depth(s) Groundwater Encountered 1 159  WELL'S STATIC WATER LEVEL 159 ft. be Pump test data: Well water was None Est. Yield None gpm: Well water was Bore Hole Diameter 6 in. to 265.  WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field wate 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Depth inited  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concreted and surface 2 PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in. to 2 2 2 137 ft., Dia 2 in. to 2 2 2 2 2 3 3 5 2 3 3 5 3 3 3 3 3 3 3 3	ft. 2. slow land surfa e ft. aft ft. aft	Application Number: N/A  FION: 2619  ft. 3.  ace measured on mo/day/yr 1-6-84
AN SUBLE JEP Code Dodge City, Kanasa 67801 Application Number: N/A  AN "X" N SECTION BOX."  AN "X" N S	City, State, ZIP Code : Dodge City, Kansas 67801  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1 1.59  WELL'S STATIC WATER LEVEL 1.59 ft. be Pump test data: Well water was None Est. Yield None gpm: Well water was Sore Hole Diameter 6 in. to 265  WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field wate 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Dep mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (seedless)  Casing height above land surface 24 in., weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC  Casing height above land surface 24 in., weight  TYPE OF SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut  SCREEN-PERFORATED INTERVALS: From. 137 ft. to 207.  From. ft. to	ft. 2. slow land surfa e ft. aft ft. aft	Application Number: N/A  FION: 2619  ft. 3.  ace measured on mo/day/yr 1-6-84
LOCATE WELL'S LOCATION WITH  AN "X" IN SECTION BOX:   Depth(s) Groundwate Encountered   1.59	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1. 159.  WELL'S STATIC WATER LEVEL. 159. ft. be Pump test data: Well water was None Est. Yield None, gpm: Well water was Sore Hole Diameter 6. in. to 265.  WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field wate 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Dep mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (seedless) Public water 1 Domestic 3 Feedlot 6 Oil field water 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Dep mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (seedless) Public water 1 Domestic 3 Feedlot 6 Oil field water 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Dep mitted  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC Casing height above land surface 24 in., weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From. 137 ft. to 207. From. ft. to 207.	ft. 2. slow land surfa e ft. aft ft. aft	FION: 2619 
Depth(s)   Government   1.59	Depth(s) Groundwater Encountered 1. 159.  WELL'S STATIC WATER LEVEL 1.59. ft. be Pump test data: Well water was None Est. Yield None, gpm: Well water was Sore Hole Diameter 6. in. to 265.  WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field water 2 Irrigation 4 Industrial 7 Lawn and gate was a chemical/bacteriological sample submitted to Depth mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concreted a ABS 7 Fiberglass 7 Fiberglass 7 Fiberglass 1. To 20 Casing height above land surface 24 in., weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut 1. Torc	ft. 2. slow land surfa e ft. aft ft. aft	ace measured on mo/day/yr1-6-84
Pump test data: Well water was   None   ft. after   hours pumping   gpm	Pump test data: Well water was . None Est. Yield . None gpm: Well water was . Some Hole Diameter	⊇ ft. aft	
Second   S	Est. Yield . None. gpm: Well water was Bore Hole Diameter		.c ,
Note   1	Bore Hole Diameter 6 in. to 265 WELL WATER TO BE USED AS: 5 Public water 1 Domestic 3 Feedlot 6 Oil field wate 2 Irrigation 4 Industrial 7 Lawn and ga Was a chemical/bacteriological sample submitted to Del mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (start 2 PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in. to \$\frac{1}{2} \frac{1}{2} \	ft., a	ter hours pumping
1   1   1   1   1   1   1   1   1   1	1 Domestic 3 Feedlot 6 Oil field water 2 Irrigation 4 Industrial 7 Lawn and gas was a chemical/bacteriological sample submitted to Delegan mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concreted in Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (steel 2 PVC 4 ABS 7 Fiberglass 7 Fiberglass 1 Stank casing diameter 2 in to 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ndin. to
2	2 Irrigation 4 Industrial 7 Lawn and gas was a chemical/bacteriological sample submitted to Deprint March 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concret 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (steel 2 PVC 4 ABS 7 Fiberglass 7 Fiberglass 137 ft., Dia 2 in. to 2 Casing height above land surface 24 in., weight 1 Steel 3 Stainless steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut 1 SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7 From ft. to	supply 8	8 Air conditioning 11 Injection well
Was a chemical/bacteriological sample submitted to Department? Yes	Was a chemical/bacteriological sample submitted to Demitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (state)  2 PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in to 2 137 ft., Dia 2 in to 2 152  Casing height above land surface 24 in, weight  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC  1 Steel 3 Stainless steel 5 Fiberglass 8 RMF  2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped  1 Continuous slot 3 Mill slot 6 Wire wrapped  2 Louvered shutter 4 Key punched 7 Torch cut  SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7  From ft. to	er supply	9 Dewatering 12 Other (Specify below)
National	\$ mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concret  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (start of the concept of the conc	-	
Type   Blank CASING USED    5 Wrought Iron   8 Concrete tile   CASING JOINTS Glued   x. Clamped   1 Steel   3 RMP (SR)   6 Asbestos-Cement   9 Other (specify below)   Welded	TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (start 2 PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in to 212 137 ft., Dia 2 in to 2 Casing height above land surface 24 in, weight  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7.  From ft. to	partment? Ye:	sNoX.; If yes, mo/day/yr sample was
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 12 PVC	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (see 2 PVC 4 ABS 7 Fiberglass 7 Fiberglass 8 Interpretation of the continuous slot 3 Mill slot 6 Wire wrapped 1 Continuous slot 3 Mill slot 6 CREEN-PERFORATED INTERVALS: From 137 ft. to 207.	Wate	
2 PVC	2 PVC       4 ABS       7 Fiberglass         Blank casing diameter       2 in. to 242. 137 ft., Dia 2 in. to 2         Casing height above land surface 24 in., weight       weight         TYPE OF SCREEN OR PERFORATION MATERIAL:       7 PVC         1 Steel 3 Stainless steel 5 Fiberglass 8 RMF       2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS         2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS       5 Gauzed wrapped 5 Gauzed wrapped 6 Wire wrapped 6 Wire wrapped 7 Torch cut 137 6 Key punched 7 Torch cut 137 6 Key punched 7 Torch cut 137 6 Key punched 137 6 Key punched 6 Key punched 137 6 Key punched		
Service   Serv	Blank casing diameter		
asing height above land surface   24	Casing height above land surface		
1   Steel   3   Stainless steel   5   Fiberglass   6   FMP (Sr)   11   Other (specify)	TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut  SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7.  From ft. to		
1 Steel 3 Stainless steel 5 Fiberglass 8 FMMP (SR) 11 Other (specify).  2 Paras Paras 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  2 Louvered shurter 4 Key punched 7 Torch cut 10 Other (specify).  CREEN PERFORATED INTERVALS: From 1.37 ft. to 207 ft. From ft. to ft. From ft. ft. From ft. ft. From ft. to ft. From ft. ft. Fro	1 Steel 3 Stainless steel 5 Fiberglass 8 RMF 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7.	Ibs./ft	t. Wall thickness or gauge No Sched 40
2 Brass	2 Brass       4 Galvanized steel       6 Concrete tile       9 ABS         SCREEN OR PERFORATION OPENINGS ARE:       5 Gauzed wrapped         1 Continuous slot       3 Mill slot       6 Wire wrapped         2 Louvered shutter       4 Key punched       7 Torch cut         SCREEN-PERFORATED INTERVALS:       From.       137       ft. to         From.       ft. to       ft. to	-	
1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   3 Mill stot   6 Wire wrapped   9 Drilled holes   1 Continuous sict   1 New Profit   1 Continuous sict   1 Continuous sict   1 New Profit   1 New Pro	1 Continuous slot         3 Mill slot         6 Wire wrapped           2 Louvered shutter         4 Key punched         7 Torch cut           SCREEN-PERFORATED INTERVALS:         From.         137         ft. to . 207.           From.         ft. to	P (SR)	11 Other (specify)
1 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	1 Continuous slot       3 Mill slot       6 Wire wrapped         2 Louvered shutter       4 Key punched       7 Torch cut         SCREEN-PERFORATED INTERVALS:       From.       137       ft. to . 20.7.         From.       ft. to	3	12 None used (open hole)
2	2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From 137 ft. to 20.7		• • • • • • • • • • • • • • • • • • • •
CREEN-PERFORATED INTERVALS:   From   137	SCREEN-PERFORATED INTERVALS: From		
From	From		
GRAVEL PACK INTERVALS: From. 10. ft. to 112 ft., From 117 ft. to 212 ft. to 117 ft. to 212 ft. to 117 ft. to 212 ft. to 117 ft. ft. to 117 ft. ft. from 1212 ft. to 1217 ft. fr. from 1212 ft. to 1217 ft. ft. to 1217 ft. fr. from 1212 ft. fr. fr. from 1212 ft. fr. fr. fr. fr. fr. fr. fr. fr. fr. fr			
From	GRAVEL PACK INTERVALS: From10 ft. to112		·
A control co	France A Ac		
rout Intervals: From 112 ft to 117 ft, From 212 ft to 217 ft, From 6 ft to 127 ft, From 1212 ft to 217 ft, From 6 ft to 6 ft t			
Septic tank			
1 Septic tank 2 Lateral lines 7 Pit privy 1 Fertilizer storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 18 Insection from well? North Northeast How many feet? 6000			
2 Sewer lines   5 Cess pool   8 Sewage lagoon   12 Fertilizer storage   16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit   9 Feedyard   13 Insecticide storage   How many feet?   6000	,		
North Northeast			
TO	· · · · · · · · · · · · · · · · · · ·		
10			
10   20   Clay   180   190   Fine to coarse sand   40   60   Clay   190   200   Sandy clay   200   210   Clay   80   90   Clay   210   220   Sandy Clay   220   Sandy Clay   230   Sandy Clay   230   Sandy Clay   230   Sandy Clay   240   Sandy clay with hard st. of rock   110   120   Coarse sand   240   250   Sandy clay   250   250   250   250   250   250   250   250   250   250   250   250			
190   200   Sandy clay   200   210   Clay   80   90   Clay   210   220   Sandy Clay   230   Sandy Clay   230   Sandy Clay   230   Sandy Clay   230   Sandy Clay   Sa			
80   90   Clay   210   220   Sandy Clay   90   100   Sandy Clay   220   230   Sandy Clay   230   240   Sandy Clay   250   Sandy Clay   250   Sandy Clay   250   252   265   2			
80   90   Clay   210   220   Sandy Clay   90   100   Sandy Clay   220   230   Sandy Clay   230   240   Sandy Clay   250   Sandy Clay   250   Sandy Clay   250   252   265   2			
90 100 Sandy Clay 100 110 Clay 100 110 Clay 230 240 Sandy Clay with hard st. of rock 110 120 Coarse sand 120 130 Fine sand and med. gravel 130 140 Fine to coarse sand 145 Streaks of sandy clay - coarse sand 145 150 Sandy clay 150 155 Coarse sand 155 160 Coarse to med. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Dec. 26, 1983 and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/year) 2-22-84/)			
100 110 Clay 230 240 Sandy clay with hard st. of rock 110 120 Coarse sand 240 250 Sandy clay 120 130 Fine sand and med. gravel 250 252 Sandy clay 130 140 Fine to coarse sand 252 265 Ochre and Shale 140 145 Streaks of sandy clay - coarse sand 145 150 Sandy clay 150 155 Coarse sand 155 160 Coarse to med. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Dec. 26, 1983 and this record is true to the best of my knowledge and belief. Kansas yeater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/year) 2-22-84/			
110 120 Coarse sand 120 130 Fine sand and med. gravel 130 140 Fine to coarse sand 140 145 Streaks of sandy clay - coarse sand 145 150 Sandy clay 150 155 Coarse sand 155 160 Coarse to med. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/var) 2-22-84/			
120 130 Fine sand and med. gravel 250 252 Sandy clay  130 140 Fine to coarse sand 252 265 Ochre and Shale  140 145 Streaks of sandy clay - coarse sand  145 150 Sandy clay  150 155 Coarse sand  155 160 Coarse to med. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/s) 2-22-84/)			
130 140 Fine to coarse sand 140 145 Streaks of sandy clay – coarse sand 145 150 Sandy clay 150 155 Coarse sand 155 160 Coarse to med. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/s) . 2-22-84/)	1 000		
140 145 Streaks of sandy clay - coarse sand 145 150 Sandy clay 150 155 Coarse sand 155 160 Coarse to med. grave1  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/s) 2-22-84/)	120 130 Fine Sailu allu med. graver		
145	- 130   140   1111e to coarse saud	205	THE SHARE
150 155 Coarse sand 155 160 Coarse to med. grave1  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Dec. 26, 1983 and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245 This Water Well Record was completed on (mo/day/x) 2-22-84/)			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was ompleted on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas /ater Well Contractor's License No			
ompleted on (mo/day/year) Dec. 26, 1983	100 Coarse to med. grave1		
ompleted on (mo/day/year) Dec. 26, 1983 and this record is true to the best of my knowledge and belief. Kansas vater Well Contractor's License No. 245. This Water Well Record was completed on (mo/day/p) 2-22-84/)			
/ater Well Contractor's License No			
/ater Well Contractor's License No			
		and this recor	rd is true to the best of my knowledge and belief. Kar
nder the business name of Western Well & Pump, Inc. by (signature) North Senior for North Standard Sta	under the business name of Western Well & Pump, Inc.	and this recores completed o	rd is true to the best of my knowledge and belief. Kar on (mo/day/19) 2-22-84/)
NSTHUCTIONS: Use typewriter or dail point pen. PLEASE PHESS. FIRMLY and PRINT clearly. Please till in blanks, underline or circle the correct answers: Send top	INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS_FIRMLY and PRINT clearly three copies to Kansas Department of Health and Environment_Division of Environment_Environment.	and this records completed of by (signation	ord is true to the best of my knowledge and belief. Kar on (mo/day)2-22-84

INSTRUCTIONS: Use typewriter or ball point pen, <u>PLEASE PRESS</u> <u>FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, undefline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.