

1 LOCATION OF WATER WELL:		Fraction		Township Number		Range Number	
County: FORD		NE 1/4 NE 1/4 NE 1/4		35		T 28 S R 25 EW	
Distance and direction from nearest town or city street address of well if located within city?							
11 South of Dodge City, Kansas							
2 WATER WELL OWNER:		Mr. Myron Nicholson					
RR#, St. Address, Box # :		RFD #1					
City, State, ZIP Code :		Dodge City, KS 67801					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 190 ft. ELEVATION: Slope					
		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 150 ft. below land surface measured on mo/day/yr Nov. 23, 1988					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield 40 gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 10 in. to 190 ft. and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile					
XX PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)					
		7 Fiberglass					
Blank casing diameter 5 in. to 150 ft. Dia. in. to ft. Dia. in. to ft.							
Casing height above land surface 18 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265							
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XX Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 150 ft. to 190 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 20 ft. to 190 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite XX Other Baroid Hole Plug					
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:		XX Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? East		How many feet? 100 Feet					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 3 Topsoil							
3 101 Clay							
101 113 Fine Sand							
113 119 Clay							
119 122 Fine Sand							
122 151 Clay							
151 187 Med. to Lar. Sand & Gravel							
187 190 Clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) November 23, 1988 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) December 12, 1988 under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.							

07-88000000231