

1 LOCATION OF WATER WELL: County: Ford		Fraction 1/4 SW 1/4 SE 1/4 SW 1/4	Section Number 27	Township No. T 28 S	Range Number R 25 ☐ E ☒ W																																																																		
2 WATER WELL OWNER: Rick Kolbeck RR#, Street Address, Box #: 10930 Whirlwind Rd City, State, ZIP Code : Dodge City, KS 67801			Global Positioning System (GPS) information: Latitude: 37.576669 (in decimal degrees) Longitude: -100.046017 (in decimal degrees) Elevation: unknown Datum: ☐ WGS 84, ☒ NAD 83, ☐ NAD 27 Collection Method: ☒ GPS unit (Make/Model: WAAS) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☒ 3-5 m, ☐ 5-15 m, ☐ >15 m																																																																				
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N W NW NE SW SE E S [----- 1 mile -----]		4 DEPTH OF COMPLETED WELL 232 ft. Depth(s) Groundwater Encountered (1) _____ ft. (2) _____ ft. (3) _____ ft. WELL'S STATIC WATER LEVEL 169.5 ft. below land surface measured on mo/day/yr 04/20/11 Pump test data: Well water was not checked ft. after _____ hours pumping _____ gpm EST. YIELD _____ gpm. Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 10 in. to 240 ft., and _____ in. to _____ ft. WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☒ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No If yes, mo/day/yr sample was submitted _____ Water well disinfected? ☒ Yes ☐ No																																																																					
5 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other _____ CASING JOINTS: ☒ Glued ☐ Clamped ☐ Welded ☐ Threaded Casing diameter 5 in. to 170 ft., Diameter _____ in. to _____ ft., Diameter _____ in. to _____ ft. Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No. 214 TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify) _____ ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☒ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 170 ft. to 230 ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 100 ft. to 240 ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.																																																																							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other _____ Grout Intervals: From _____ ft. to _____ ft., From 4 ft. to 100 ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☒ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Known Direction from well _____ Distance from well _____																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>2</td><td>Topsoil</td><td>179</td><td>189</td><td>Clay, brown, with sand and gravel</td></tr><tr><td>2</td><td>15</td><td>Clay, brown, tan, silty</td><td>189</td><td>200</td><td>Sand, fine - medium</td></tr><tr><td>15</td><td>83</td><td>Clay, brown, white, with caliche</td><td>200</td><td>216</td><td>Clay, tan, white</td></tr><tr><td>83</td><td>90</td><td>Clay, tan, with caliche</td><td>216</td><td>220</td><td>Sand, fine - coarse/clay, tan 50/50 mix</td></tr><tr><td>90</td><td>107</td><td>Clay, tan, brown, sandy</td><td>220</td><td>226</td><td>Clay, tan, white, sandy</td></tr><tr><td>107</td><td>126</td><td>Clay, tan, brown, with caliche</td><td>226</td><td>240</td><td>Clay, white, yellow</td></tr><tr><td>126</td><td>143</td><td>Sand, gravel, fine - coarse</td><td></td><td></td><td></td></tr><tr><td>143</td><td>148</td><td>Clay, white, with sand</td><td></td><td></td><td></td></tr><tr><td>148</td><td>155</td><td>Sand, fine - coarse, gravel, fine</td><td></td><td></td><td></td></tr><tr><td>155</td><td>179</td><td>Sand, gravel, fine - coarse</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	2	Topsoil	179	189	Clay, brown, with sand and gravel	2	15	Clay, brown, tan, silty	189	200	Sand, fine - medium	15	83	Clay, brown, white, with caliche	200	216	Clay, tan, white	83	90	Clay, tan, with caliche	216	220	Sand, fine - coarse/clay, tan 50/50 mix	90	107	Clay, tan, brown, sandy	220	226	Clay, tan, white, sandy	107	126	Clay, tan, brown, with caliche	226	240	Clay, white, yellow	126	143	Sand, gravel, fine - coarse				143	148	Clay, white, with sand				148	155	Sand, fine - coarse, gravel, fine				155	179	Sand, gravel, fine - coarse			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																		
0	2	Topsoil	179	189	Clay, brown, with sand and gravel																																																																		
2	15	Clay, brown, tan, silty	189	200	Sand, fine - medium																																																																		
15	83	Clay, brown, white, with caliche	200	216	Clay, tan, white																																																																		
83	90	Clay, tan, with caliche	216	220	Sand, fine - coarse/clay, tan 50/50 mix																																																																		
90	107	Clay, tan, brown, sandy	220	226	Clay, tan, white, sandy																																																																		
107	126	Clay, tan, brown, with caliche	226	240	Clay, white, yellow																																																																		
126	143	Sand, gravel, fine - coarse																																																																					
143	148	Clay, white, with sand																																																																					
148	155	Sand, fine - coarse, gravel, fine																																																																					
155	179	Sand, gravel, fine - coarse																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) 04/20/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 04/26/11 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>[Signature]</i>																																																																							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .																																																																							