WATER WELL RECORD	Form WWC-5		Resources App. N		
1 LOCATION OF WATER WELL: County:	Fraction  1/4 16 1/4 n6 1/4 SE 1/4	Section Number		Range Number R ∠5 □E □₩	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: If at	Latitude: (in decimal degrees)				
From Minneola, 8 miles north on 283 Hwy their		Longitude: (in decimal degrees)			
west, then 1/2 north.		Elevation:			
2 WATER WELL OWNER: Micholson Ventures		Collection Method:			
RR#, Street Address, Box #: //089 whirlwind rd.		GPS unit (Make/Model:)			
City, State, ZIP Code : Dodge City, Ks. 67801		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 260 ft.					
			•		
SECTION BOX: Depth(s) Ground	dwater Encountered (1)	ft. (2)	π. (	3) II.	
N WELL'S STATE	WELL'S STATIC WATER LEVEL				
Pump	EST. YIELDgpm. Well water wasft. after hours pumpinggpm				
NW  ND	'NW  ND				
WELL WATER					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Graph Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
SWSE   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well					
Was a chemical/bacteriological sample submitted to Department?  Yes  No					
S If yes, mo/day/yr sample was submitted					
1 mile  Water well disinfected? ▼ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel     ☐ Stainless Steel     ☐ PVC     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From. 20. ft. to ft., From ft. to ft.					
From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
Grout Intervals: From					
	nes Pit privy Livestock p	ens 🔲 Insecticide	storage	ner (specify below)	
Sewer lines Cesspool	☐ Sewage lagoon ☐ Fuel storage		water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well		from well			
FROM TO LITHOLOG	FROM FROM	TO LITHO. LC	OG (cont.) or PLU	JGGING INTERVALS	
0 102 Tan clay					
102 103 Sandrack					
103 120 Tan clay					
120 137 Med. Course &					
137 138 Tanclay		-			
138 200 Med. Sand				· · · · · · · · · · · · · · · · · · ·	
200 241 Tansandy chayt	tine sand				
241 242 Tanclay 142 158 Tan Sant clast	Cine Soul	-			
242 258 Tan Sandy slay + 1	ine sand				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ∠eonstructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) . Lo/s/ and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No 5.3 This Water Well Record was completed on (next lay year) 91.1.2/1.2					
under the business name of Jantzen Water by (signature) by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					