WATER WELL R		WWC-5		sion of Water		11.10	
Original Record		ge in Well Use		urces App. No.	Wel		
1 LOCATION OF W	ATER WELL:	Fraction 1/4 5 E1/4 MM/	Section Section	tion Number	Township Number T 28 S	Range Number $R 2 \int \Box E \times W$	
County: 70 2 WELL OWNER: 14	ogt Nama: Dava's	First: Cary		al Address wh	ere well is located (if unk		
Business: P.O.B.	x 24}	rusi. Cary			ersection): If at owner's add		
Address:	7 473						
Address:	Dista Suna MI	W ZIP: 87710	7 M	les Jour	the A Dodge	(14)	
3 LOCATE WELL	4 DEPTH OF COM	· / Zn. 0 / / 10	243	1			
WITH "X" IN							
SECTION BOX:	Depth(s) Groundwater Encountered: 1)				Longitude:		
N	WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:		
	below land surface, measured on (mo-day-yr)				GPS (unit make/model:)		
NW NE	above land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map			
W	after hours pumping gpm Well water was ft.			☐ Unlir	Online Mapper:		
SW XE	after hour	rs pumping					
	Estimated Yield:5				a :ft. □ G		
S	Bore Hole Diameter:	7 ?. % in. to	ft. and] Land Survey ☐ GPS] Other		
mile 7 WELL WATER TO		in. to	π.				
1. Domestic:		ater Supply: well ID		10. □ Oil Fi	eld Water Supply: lease		
Household		ng: how many wells?			e: well ID		
☐ Lawn & Garden		Recharge: well ID			☐ Uncased ☐ Geotec		
Livestock		ng: well ID			nal: how many bores?		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environment Air Sparg	tal Remediation: well I ge			d Loop □ Horizontal □ Loop □ Surface Discharg		
4. ☐ Industrial	☐ Recovery	·	LAHaohon		(specify):		
Was a chemical/bacter	iological sample subn		Yes No	If ves, date sa	mple was submitted:		
Water well disinfected?	¥Yes □ No						
8 TYPE OF CASING	USED: ☐ Steel XPV	C Other	CASIN	IG JOINTS: &	G lued □ Clamped □ V	Welded Threaded	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter for into the Casing height above land surface Weight Weight Weight Wall thickness or gauge No. 12.200							
Casing diameter	in. to	, Diameter	in. to	ft., Diamete	rin 10	·· -# `⊃ <i>o</i> r≀	
Casing diameter Casing height above land s	surface	, Diameter	in. to lbs./ft.	ft., Diamete Wall thicknes	rinto s or gauge No. 7. 2. 5. 0 ,	#200	
TYPE OF SCREEN OR	R PERFORATION MA	TERIAL:	in. to lbs./ft.				
TYPE OF SCREEN OR ☐ Steel ☐ Stair	surface	TERIAL: rglass PVC	in. to	Other (s or gauge No. 7. 2. 5. 7. 7. 7. 7. 9. (Specify)		
TYPE OF SCREEN OR ☐ Steel ☐ Stair	R PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None	used (open hole	Other (Specify)		
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	C PERFORATION MAnless Steel ☐ Fiberanized Steel ☐ Conc ATION OPENINGS A	TERIAL: rglass PVC crete tile None .RE: iauze Wrapped T	used (open hole	☐ Other () rilled Holes ☐	Specify)		
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	C PERFORATION MAnless Steel ☐ Fiberanized Steel ☐ Conc ATION OPENINGS A	TERIAL: rglass PVC crete tile None .RE: iauze Wrapped T	used (open hole	☐ Other () rilled Holes ☐	Specify)		
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot	C PERFORATION MAnless Steel ☐ Fiberanized Steel ☐ Conc ATION OPENINGS A	TERIAL: rglass PVC crete tile None .RE: iauze Wrapped T	used (open hole	☐ Other () rilled Holes ☐	Specify)		
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAGE	R PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Vire Wrapped S m. 203. ft. to24 m25. ft. to24	orch Cut Do aw Cut No. 3. ft., From	Other () rilled Holes one (Open Hole ft. to ft. to	Specify)	ft. to ft ft. to ft.	
TYPE OF SCREEN OR Steel Stair Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From	R PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Vire Wrapped S m. 203. ft. to24 Cement grout BB	orch Cut Down Down Cut No. ft., From	Other () rilled Holes one (Open Hole ft. to ther	Specify)	ft. to ft ft. to ft.	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl	R PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Vire Wrapped S m 20 ft. to 2 ft. Cement grout B m ft., From	used (open hole orch Cut Down Cut No. ft., From ft., From entonite O. ft. to	Other () rilled Holes one (Open Hole ft. to ther	Specify)	fl. to ft. .ft. to ft.	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Vire Wrapped S m. 20.3. ft. to	used (open hole orch Cut Draw Cut N. ft., From ft., From entonite O. ft. to	Other () rilled Holes one (Open Hole ft. to ther ther Livestock Pens	Other (Specify)	fl. to ft ft ft ft.	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines	R PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: diauze Wrapped T Vire Wrapped S m. 20.3. ft. to 2.4 Cement grout B m. 1. From Pit Privy Sewage L	used (open hole orch Cut Draw Cut N. ft., From ft., From entonite O. ft. to	Other () rilled Holes one (Open Hole ft. to ther ther	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify)	PERFORATION MA containing containing containing	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Vire Wrapped S m 20 ft. to 2 f m 25 ft. to 2 f The company of the compa	used (open hole orch Cut Draw Cut N. ft., From The first first from agoon Draw agoon Draw Cut N. ft. ft. from	Other () rilled Holes one (Open Hole ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Vire Wrapped S m 20 ft. to 2 f m 2 ft. ft. to 2 f m 2 ft., From Pit Privy Sewage L t Feedyard Distance from v	used (open hole orch Cut Draw Cut N. ft., From 2. ft., From entonite O. ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify)	PERFORATION MA containing containing containing	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Vire Wrapped S m 20 ft. to 2 f m 2 ft. ft. to 2 f m 2 ft., From Pit Privy Sewage L t Feedyard Distance from v	used (open hole orch Cut Draw Cut N. ft., From The first first from agoon Draw agoon Draw Cut N. ft. ft. from	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well?	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Vire Wrapped S m 20 ft. to 2 f m 2 ft. ft. to 2 f m 2 ft., From Pit Privy Sewage L t Feedyard Distance from v	used (open hole orch Cut Draw Cut N. ft., From 2. ft., From entonite O. ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: dauze Wrapped T Wire Wrapped S m. 203. ft. to .24 m. 25. ft. to .24 Cement grout B Cement grout Sewage L Cement GIC LOG	used (open hole orch Cut Do aw Cut N S. ft., From entonite O . ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 20. ft. to	used (open hole orch Cut Do aw Cut N S. ft., From entonite O . ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Materight Sewer Line Other (Specify) Direction from well? 10 FROM TO 7 7 75 75	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 20. ft. to	used (open hole orch Cut Do aw Cut N S. ft., From entonite O . ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Waterlight Sewer Line Other (Specify) Direction from well? 10 FROM TO 75 75 75 75 75	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: iauze Wrapped T Vire Wrapped S m. 203 ft. to 1 Cement grout B H., From Sewage L t Feedyard Distance from v GIC LOG	used (open hole orch Cut Deaw Cut No. ft., From 2. ft., From entonite O. ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 203. ft. to24 m25. ft. to24 Cement grout B B His Privy Sewage L T Sewage L T Clay SIVE	used (open hole orch Cut Draw Cut N. S. ft., From entonite O. ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lir Other (Specify) Direction from well? 10 FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: fauze Wrapped T Vire Wrapped S m. 20.3. ft. to .2.4 m. 25. ft. to .2.	used (open hole orch Cut Draw Cut N. S. ft., From entonite O. ft. to	one (Open Hole ft. to ft. to ther ft., From Livestock Pens Fuel Storage Fertilizer Storag	Specify) Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	PERFORATION MAnless Steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 203 ft. to 24 m 25 ft. to 24 Cement grout B Sewage L T Sewage L T Sewage L T Sewage L T T Sewage L T T Sewage L T T T T T T T T T T T T T T T T T T T	used (open hole orch Cut Deaw Cut No. ft., From If., From entonite Oo. ft. to	rilled Holes one (Open Hole fit to fit. to fit. to fit. from fit.	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 0 3 75 75 75 75 75 75 75 75 75 7	PERFORATION MA The steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 2.5. ft. to 2.4 Cement grout B GIC LOG Sewage L Cay SIVE Cay SIVE Square Layey S CERTIFICATIO mo_day-year) 7. 3.	used (open hole orch Cut Deaw Cut No. ft., From If., From entonite Oo. ft. to	rilled Holes one (Open Hole one (Open Hole one ft. to one of the ft. to one of the ft.	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 0 3 75 75 75 75 75 75 75 75 75 7	PERFORATION MA The steel	TERIAL: rglass PVC crete tile None RE: Gauze Wrapped T Wire Wrapped S m. 2.5. ft. to 2.4 Cement grout B GIC LOG Sewage L Cay SIVE Cay SIVE Square Layey S CERTIFICATIO mo_day-year) 7. 3.	used (open hole orch Cut Deaw Cut No. ft., From If., From entonite Oo. ft. to	rilled Holes one (Open Hole one (Open Hole one ft. to one of the ft. to one of the ft.	Other (Specify)	ft. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAG 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Lin Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 15 7 200 200 255 27 7 247 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor under the business name	PERFORATION MA pless Steel	TERIAL: rglass PVC crete tile None RE: fauze Wrapped T Wire Wrapped S m. 203. ft. to .24 m. 25. ft. to .24 m. 26. ft. ft. from Sewage L t Feedyard Distance from v GIC LOG S CERTIFICATIO no-day-year)	used (open hole orch Cut Draw Cut N. From 2. ft., From entonite O. ft. to	rilled Holes one (Open Hole one (Open Hole one ft. to one ft. to one ft. to one ft. to one ft.	Other (Specify) ft., From ft., From ft. to Insecticide St Abandoned V e Oil Well/Gas ft. THO. LOG (cont.) or PLUC OF Casing onstructed, reconstructed to the best of my kno eted on (mo-day-year)	fl. to	
TYPE OF SCREEN OR Steel Stain Brass Galv SCREEN OR PERFOR Continuous Slot Louvered Shutter SCREEN-PERFORATE GRAVEL PAC 9 GROUT MATERIA Grout Intervals: From Nearest source of possibl Septic Tank Sewer Lines Watertight Sewer Line Other (Specify) Direction from well? 10 FROM TO 10 FROM TO 15 7 157 157 157 200 200 235 275 247 11 CONTRACTOR'S under my jurisdiction at Kansas Water Well Cor under the business name	PERFORATION MA The steel	TERIAL: rglass PVC crete tile None RE: fauze Wrapped T Vire Wrapped S m. 20.3. ft. to .2.4 m. 25. ft. to .2.4 m. 25. ft. to .2.4 m. 25. ft. to .2.4 m. 26. ft. ft. from Sewage L t Feedyard Distance from v GIC LOG S CERTIFICATIO mo-day-year) This W GER and retain one copy for year	used (open hole orch Cut Draw Cut N. From S. ft., From entonite O. ft. to	rilled Holes one (Open Hole one (Open Hole one ft. to one ft. to one ft. to one ft. to one ft. ft. to one ft.	Other (Specify)	ft. to	