WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

1. Location of well: Ford Fraction Center of N½ o	f SW1	Section	number	Township number Range number
1. Location of well: Ford Senter of N_2 or $1/4$ $1/4$	1/4	2		7 28 _{s R} 26
2. Distance and direction from nearest town or city: 4W, 5S, 2W of 3. Owner of well:			:	Albert Greenwood
Street address of well location if in city: Dodge City R.R. or				Hwy.56
City, state, zip co			ode:	Dodge City, KS 67801
Locate with "X" in section below: Sketch map: N				6. Bore hole dia. 28 in. Completion date Well depth 257 ft. 10-26-76
1			7 Cable tool Rotary Driven Dug	
NW NE			Hollow rod Jetted Bored X_ Reverse rotary	
₩ W E			8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock	
- "			Lawn Oil field water Other	
SW SE			9. Casing: Material Steel Height: Above or below	
<u> </u>			Threaded Welded X Surface 12 in.	
S				RMPPVCWeightlbs./ft. Dia. 16 _{n. to} 115 _{ft. depth!} Wall Thickness: inches or
5. Type and color of material	1	From	To	Diain. toft. depth gage No188
3. Type and cold of material		1,0		10. Screen: Manufacturer's nameDoerr
Surface		0	2	Type steel Dia. 16
$\mathtt{c}_{\mathtt{lay}}$		2	115	Set between 115 ft and 257 ft.
		~	رسد	ft. andft.
Medium Sand & Gravel		115	120	Gravel pack? X Size range of material 1/4 to 5/8
Clay		120	121	11. Static water level: mo./day/yr.
Sand & Gravel good		121	182	12. Pumping level below land surfaces:
Medium Sand & Small Gravel		182	249	ft. after hrs. pumping g.p.m ft. after hrs. pumping g.p.m.
				Estimated maximum yield 2000 g.p.m.
Hard Layers		249	25/4	· · · · · · · · · · · · · · · · · · ·
Shale		254	257	Yes A No Date
				Pitless adapter Inches above grade
				15. Well grouted? X With: Neat cement X Bentonite Concrete
				With: Neat cement X Bentonite Concrete Depth: From ft. to ft.
And the second profession of the second seco	*	Net .		16. Negrest source of possible contamination: tailwater ft. #Mile Direction West Typenit
The same of				ft. TILLE Direction WEST Type DIT Well disinfected upon completion? Yes X No
AND				17. Pump: X Not installed
10 THE RESERVE TO SERVE THE PROPERTY OF THE PR				Manufacturer's name
we agent and a second of the s				Model number HP Volts Length of drop pipe ft. capacity g.p.m.
				Length of drop pipe ft. capacityg.p.m. Type:
The same designation of the same state of the sa				Submersible Turbine
(Use a second sheet if needed)				Jet Reciprocating Other \$
18. Elevation: 19. Remarks:				20. Water well contractor's certification:
				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief
Topography:				Woofter Prilling, Inc. 343
—— Hill Slane				Business name Hwy 560 Rodge City KS
X Upland				Manufactor 960
Valley				Authorized representative Date