


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Fraction NE 1/4 NE 1/4 NE 1/4	Section number 13	Township number T 28 S R 26	Range number #W
2. Distance and direction from nearest town or city: 8 mi S, 5 mi W of Dodge City, Ks. Street address of well location if in city:				3. Owner of well: Carl Zink R.R. or street: Rte #1 City, state, zip code: Dodge City, Ks. 67801		
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map:		6. Bore hole dia. 2 1/4 in. Completion date 9-22-77 Well depth 221 ft.		
		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
		9. Casing: Material Steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weigh 36.06 lbs./ft. Dia. 16 in. to 221 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219		10. Screen: Manufacturer's name Lakewood Type Millslot Dia. 16" <input checked="" type="checkbox"/> Slot gauze 1/8x2" Length 10 1/2' Set between 117 ft. and 221 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? Yes Size range of material 4x5		
		11. Static water level: <input type="checkbox"/> mo./day/yr. 118 ft. below land surface Date 8-18-77		12. Pumping level below land surfaces: 217 ft. after 8 hrs. pumping 1100 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1100 g.p.m.		
		13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		14. Well head completion: 12 inches above grade <input type="checkbox"/> Pitless adapter		
5. Type and color of material		From	To	15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
Sand, clay		0	120	16. Nearest source of possible contamination: NA ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Sand, gyp		120	140	17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Worthington Model number 5S-12M-75 HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 210 ft. capacity 750 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Sand, gravel		140	215	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. High Plains Drilling & Supply, Inc. 136A Business name 402 N3rd, Garden City, Ks. License No. 16-24 Signed Burt H. Hines Date 9-24-77 Authorized representative		
Clay, shale		215	221			
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

28 260 13
NE NE NE
1/4 1/4 1/4