

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: FORD	SE 1/4 NE 1/4 SW 1/4	15	T 28 S	R 26 E/W

Distance and direction from nearest town or city street address of well if located within city?

10 South 6 W Dodge City KS

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 2811 meadowlark LN	Application Number:
City, State, ZIP Code : Dodge City KS 67801	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 200 ft. ELEVATION:
--	---

	Depth(s) Groundwater Encountered 1. 170 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 170 ft. below land surface measured on mo/day/yr 2/12/83
	Pump test data: Well water was N/A ft. after hours pumping gpm
	Est. Yield 20 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 7 in. to ft. and in. to ft.
WELL WATER TO BE USED AS:	
1 Domestic	2 Irrigation
3 Feedlot	4 Industrial
5 Public water supply	6 Oil field water supply
7 Lawn and garden only	8 Air conditioning
9 Dewatering	10 Observation well
11 Injection well	12 Other (Specify below)
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			

Blank casing diameter 5 in. to ft. Dia 150 in. to ft. Dia in. to ft.
Casing height above land surface 15 in. weight 250 lbs./ft. Wall thickness or gauge No. 350

TYPE OF SCREEN OR PERFORATION MATERIAL:	10 Asbestos-cement
1 Steel	11 Other (specify)
2 Brass	12 None used (open hole)
3 Stainless steel	
4 Galvanized steel	
5 Fiberglass	
6 Concrete tile	
8 RMP (SR)	
9 ABS	

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			

SCREEN-PERFORATED INTERVALS:	From 180 ft. to 200 ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From 200 ft. to 20 ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 20 ft. to 0 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.

What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well
1 Septic tank	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	13 Insecticide storage	
4 Lateral lines		
5 Cess pool		
6 Seepage pit		
7 Pit privy		
8 Sewage lagoon		
9 Feedyard		

Direction from well? **South** How many feet? **1000 ft**

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Top soil			
2	10	Clay			
10	70	Rock			
70	105	clay			
105	125	Rock			
125	170	DRY SAND			
170	186	GRAVEL			
186	200	CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 10 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/24/83 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 111 This Water Well Record was completed on (mo/day/yr) 6/24/83
under the business name of Cross Drilling by (signature) Ray Perry
INSTRUCTIONS: Use typewriter or ball-point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

26

EW

SEC.

25

56

NE

SW

1/4