



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County FORD	Fraction NE 1/4 NE 1/4 NE 1/4	Section number 36	Township number T 28 S	Range number R 26 E
2. Distance and direction from nearest town or city:		9 mile N m. NE of AKS		3. Owner of well: Floyd BUCHANAN		
Street address of well location if in city:				R.R. or street: Rt 1		
				City, state, zip code: Dodge City KS 67801		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 in. Completion date 24/6/76		
				Well depth 220 ft.		
5. Type and color of material		From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug		
Topsoil		0	2	<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Clay		2	95	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		
PRY GRAVEL		95	140	<input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock		
Clay + Rock		140	170	<input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay + SAND		170	175	9. Casing: Material PVC Height: Above or below		
Clay + Rock		175	190	Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 19 in.		
Clay Rock + GRAVEL		190	220	RMP <input type="checkbox"/> PVC Clive Weight 200 lbs./ft.		
Shale		220	—	Dia. 5 in. to 230 ft. depth Wall Thickness: inches or		
				Dia. — in. to — ft. depth gage No. 250		
				10. Screen: Manufacturer's name Sess & Howell		
				Type RC Dia. 5		
				Cloth/gauze 1/16 Length 3		
				Set between 200 ft. and 220 ft.		
				170 ft. and 180 ft.		
				Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8		
				11. Static water level: 170 ft. below land surface Date 6/24/76		
				12. Pumping level below land surfaces: NA		
				ft. after hrs. pumping g.p.m.		
				ft. after hrs. pumping g.p.m.		
				Estimated maximum yield g.p.m.		
				13. Water sample submitted: mo./day/yr.		
				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
				14. Well head completion:		
				<input checked="" type="checkbox"/> Pitless adapter 17 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/>		
				With <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete		
				Depth: From 3 ft. to 13 ft.		
				16. Nearest source of possible contamination		
				ft. 175 Direction S Type Septic		
				Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump:		
				Not installed		
				Manufacturer's name Reed		
				Model number 1701680 HP 1 Volts 220		
				Length of drop pipe 210 ft. capacity 10 g.p.m.		
				Type:		
				<input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine		
				<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating		
				<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:				
Topography:						
<input type="checkbox"/> Hill						
<input checked="" type="checkbox"/> Slope						
<input type="checkbox"/> Upland						
<input type="checkbox"/> Valley						
		20. Water well contractor's certification:				
		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.				
		CRAIG PULLING 111				
		Business name Rt 1 Dodge City KS License No.				
		Address Dodge City KS				
		Signed Floyd Buchanan Date 6/24/76				
		Authorized representative				