WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
County: Ford		14 5W 14 N	W4 SE 1/4		T 18 S		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here .				Latitude:		(in decimal degrees)	
From Ensign, 6 miles cast, then 13/4 miles south				Longitude:	• • • • • • • • • • • • • • • • • • • •	(in decimal degrees)	
on 105 Rd.				Datum: WGS 8	34, □ NAD 83, □	 L NAD 27	
2 WATER WELL OWNER: Tim Geist				Collection Method:	14, [ NAD 65, [	NAD 21	
RR#, Street Address, Box #: 11907 106 RA				GPS unit (Make/Model:)			
City, State, ZIP Code : Dodge (ity, Ks. 67801				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL	Opage	E (17) 10: 5		Est. Accuracy:	<3 m, ∐ 3-5 m, ∐	5-15 m, <u></u>  >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 205 ft.							
SECTION BOX:							
N WELL'S STATIC WATER LEVEL/1.2ft. below land surface measured on mo/day/yr1/.31.//.2.							
	Pump test data: Well water wasft. after						
W -NW - NE - EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter ft. and in. to ft.							
W   E   Bore Hole Diameter							
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
SW SE Domestic    Feedlot    Oil field water supply    Dewatering    Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED: Steel  Other Other							
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From 24 ft. to 205 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer sto						one. Observed	
Direction from well				from well			
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
	<(0,						
97 170 Fine	e to med.	sand					
	rse sand						
200 Sha	<u>.le</u>		1				
			-				
			++				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ID onstructed   reconstructed or   plugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, rec							
Kansas Water Well Contractor's License No 5.33 This Water Well Record was completed on (molday brear) . 1116/15							
under the business name of Jantzen Water							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white blue pink) to Kansas Proportion of Health and Environment Proportion of Water Cooleany Service 1000 SW Ltd. Servi							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Smite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							