County: <u>Ford</u>	Fraction SE -	SE-SE-S	. W_ Sec	31	T	28	_S R_	26	E/ & V
CORRECT Owner: Bartlett mike	ION(S) TO WATI (to rectify la	ER WELL COM acking or incorrec			D (WV	VC-5)			
Location was listed as:			Locatio	on change	ed to:				
Section-Township-Range:									
Fraction (¼ ¼ ¼): &w-	SE-SE-SE	SE-SE-SE-SW							
Other changes: Initial statements: _	Lat + Long o	ff, they may	in the	. Crop	field	l in	.the	NU e	F
the Section, Not entere	· ·								
Changed to:									
Comments:									
Verification method: Mapped 1	at/Long and	mapped s	tated Di	rections	and	PL.	SS Loc	ection	
Submitted by: Kansas Geological Surv	vev. Data Resource	s Library, 1930 C	onstant Ave	init	tials: _	<u>D</u> た 66047-	date:	5/19/1	4
to: Kansas Dept of Health & Environn	•	•			-				

Section Number Southship No. Range Number South Sept. Section Number Township No. Range Number South Sept. S	WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. No), ————						
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude: .37.33.755 (in decimal degrees) Wilburt	1 LOCATION OF WATER WELL:	1	Section Number	Township No.							
From nearest town or intersection: If at owner's address, sheck here		SW4 SE 4SE 4 SE 4		T 28 S							
N Just GP1095 Just Clare Elevation: APP Elevation: APP Elevation: APP Elevation: APP Elevation: APP Collection Method: Collection Me			Global Positioning System (GPS) information:								
N Just GP1095 Just Clare Elevation: APP Elevation: APP Elevation: APP Elevation: APP Elevation: APP Collection Method: Collection Me	Wilburn Rd	Langitude: 100.12'435" (in decimal degrees)									
WATER WELL OWNER: RR#, Street Address, Box #: 12720 103 Road 12720 Road	N just arross th	Elevation: .4040									
RR#, Street Address, Box #: 12720 103 Road	A SECURETAL SECTION A CONTRACTOR										
City, State, ZIP Code Simple Minneola, KS 67865 Digital Map(Photo, Society) James Service James Serv	RR#, Street Address, Box #: 12720 1		Collection Method: GPS unit (Make/Model) Garmin Map60								
A DEPTH OF COMPLETED WELL 140	C't- Ct-t CTD C 1		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey								
WITH AN "X" IN SECTION BOX: N	3 LOCATE WELL			m, [] 3-5 m, []	5-15 m, □ >15 m						
WELL'S STATIC WATER LEVEL. 86	WITH AN "X" IN 4 DEPTH OF C										
Pump test data: Well water was.98		CTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3)									
NW NE EST. YIELD. SQ gpm. Well water was ft. after hours pumping gpm	WELL SSIAII	WELL'S STATIC WATER LEVEL. 80									
Bore Hole Diameter 8.3/4	EST. YIELD. 50	Fullip test data: Well water was 99									
Second Graph Graph Second Graph Gr	w E Bore Hole Diam	W E Bore Hole Diameter § 3/4 in. to									
Irrigation		TO BE USED AS: Public water	r supply Geo	thermal 🔲 In	jection well						
Was a chemical/bacteriological sample submitted to Department? Yes No No No No No No No N		Industrial Domestic-law	r supply ∐ Dev	vatering U	ther (Specify below)						
S	Was a chemical/bacteriological sample submitted to Department? \(\text{Ves} \) \(\text{Ves} \) \(\text{Ves} \)										
STYPE OF CASING USED: Steel PVC Other	S If yes, mo/	day/yr sample was submitted									
CASING JOINTS: Glued	water well dishi										
Casing diameter .5. in. to .1,00 ft., Diameter in. to .ft., Diameter in. to .ft. Casing height above land surface .18 in., Weight lbs./ft., Wall thickness or gauge No200#. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	5 TYPE OF CASING USED: Steel	PVC Other	***************************************	•••							
Casing height above land surface. 18	CASING JOINTS: M Glued Clamped Welded Threaded Casing diameter 5 in to 100 ft Diameter in to 9 Diameter 5										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Other (specify) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 1.00. ft. to 1.40. ft., From ft. to ft. From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 24. ft. to 1.40. ft., From ft. to ft. From. ft. to ft., From ft. to ft. From. ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 4. ft. to 20. ft., From ft. to ft. What is the nearest source of possible contamination: Sever lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well East Distance from well .3000' FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS	Casing height above land surface!8	in., Weight	lbs./ft., Wall thick	ness or gauge No	200#						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 100 ft. to 140 ft., From ft. to ft. From	TYPE OF SCREEN OR PERFORATION	MATERIAL:									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Other (specify) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 100 ft. to 140 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 140 ft., From ft. to ft. From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Entry ft. to ft., From ft. to ft. Grout Intervals: From 4 ft. to 20 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Oil well/gas well Direction from well East Distance from well 3000' FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS			Other (Specify)	• • • • • • • • • • • • • • • • • • • •							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	SCREEN OR PERFORATION OPENING	S ARE:									
SCREEN-PERFORATED INTERVALS: From 1.00 ft. to 1.40 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 1.40 ft., From ft. to ft. From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Grout Intervals: From 4 ft. to 20 ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Sever lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Distance from well 3000' FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS	Continuous slot Mill slot	Gauze wrapped Torch cut	Drilled holes	None (open hole))						
GRAVEL PACK INTERVALS: From. 24 ft. to140 ft., From ft. to ft. From. ft. to 140 ft., From ft. to ft. From. ft. to 140 ft., From ft. to ft. From. ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Cement grout From ft. to ft., From ft. to ft. Grout Intervals: From 4 ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Sever lines Seepage pit Feedyard Fretilizer storage Oil well/gas well Distance from well 3000' FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS	SCREEN-PERFORATED INTERVALS:	From100	ft. From	ft to							
GRAVEL PACK INTERVALS: From 24 ft. to 149 ft., From ft. to ft., From .		From ft. to	ft From	ft to	n A						
Grout Intervals: From .4	GRAVEL PACK INTERVALS:	From ft. to	ft., From	ft. to	o ft.						
Grout Intervals: From .4	6 GROUT MATERIAL: Neat come	rt Cement grout Denton	ite C Other	ft. to	o ft.						
What is the hearest source of possible contamination: V Septic tank	Grout Intervals: From .4 ft. to	.20 ft., From f	t. to ft., I	From	ft. toft.						
Sewer lines Cesspool Sewage lagoon Fuel storage Oil water well Watertight sewer lines Direction from well East Direction	what is the hearest source of possible contamination:										
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well East ☐ Distance from well .3000'. FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING INTERVALS											
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS	☐ Watertight sewer lines ☐ Seepage p	it Feedyard Fertilizer sto	rage Oil well/gas								
2 EATTO: BOG (SOIL:) OF THE COUNTY IN THE CALLS											
		IC LUG FROM	TO LITHO, LO	G (cont.) or PLUC	JUING INTERVALS						
5 60 tan clay											
60 140 sand and gravel											

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This was the First Contract of the Contract of th	7 CONTRACTOR'S OR LANDOWNER	25 CEDTIFICATION. This	11								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .10/5/2010 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 101. This Water Well Record was completed on (mo/day/year) 10/11/2010											
under the business name of Bartel Well Drilling, Inc. by (signature) Reads 1 3 10											
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check ne correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.	(white, blue, pink) to Kansas Department of Health a	and Environment, Bureau of Water, Geolog	v Section 1000 SW Jacks	son St. Suite 420 Ta	oneka Kansas 66612 1367						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.	relephone 783-296-3322. Send one copy to WATE	ER WELL OWNER and retain one for yo	ur records. Include fee o	of \$5.00 for each cor	nstructed well. Visit us at						
Check: White Copy, Blue Copy, Pink Copy											