

1 LOCATION OF WATER WELL:		Fraction County: Gray	NE $\frac{1}{4}$ NW $\frac{1}{4}$	Section Number 7	T 28 S	Range Number R 27 EW																																																																																				
Distance and direction from nearest town or city street address of well if located within city?																																																																																										
2 WATER WELL OWNER: Dodge City Coop % Terry Cramer																																																																																										
RR#, St. Address, Box #		Hwy 56		Board of Agriculture, Division of Water Resources																																																																																						
City, State, ZIP Code		Dodge City, KS 67801		MW #14	Application Number:																																																																																					
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 220 ft. ELEVATION: 200.87 ft. below land surface measured on mo/day/yr Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 220 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>																																																																																								
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile Casing Joints: Glued _____ Clamped _____ 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ Blank casing diameter 4 in. to 180 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 0 in., weight 2.071 lbs./ft. Wall thickness or gauge No. .237 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 180 ft. to 220 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 177 ft. to 220 ft. From ft. to ft. From ft. to ft. From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 177 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 13 Insecticide storage 16 Other (specify below) Contaminated Site Direction from well? How many feet? <table border="1"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>CODE</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr><td>0</td><td>2</td><td></td><td>Surface</td><td>212</td><td>217</td><td>Sandy Clay & Caliche w/ Few</td></tr> <tr><td>2</td><td>4</td><td></td><td>Loess</td><td></td><td></td><td>Fine Sand Str</td></tr> <tr><td>4</td><td>14</td><td></td><td>Clay</td><td>217</td><td>220</td><td>Fine to Some Med Sand w/ Sandy</td></tr> <tr><td>14</td><td>55</td><td></td><td>Clay & Caliche str</td><td></td><td></td><td>Clay & Caliche Str</td></tr> <tr><td>55</td><td>62</td><td></td><td>Clay & Lots of Caliche</td><td></td><td></td><td></td></tr> <tr><td>62</td><td>152</td><td></td><td>Clay w/ Caliche Str</td><td></td><td></td><td></td></tr> <tr><td>152</td><td>165</td><td></td><td>Sandy Clay, Caliche & Sandstone Str</td><td></td><td></td><td></td></tr> <tr><td>165</td><td>185</td><td></td><td>Sandy Clay, Caliche & Few Sand Str</td><td></td><td></td><td></td></tr> <tr><td>185</td><td>204</td><td></td><td>Fine Sand w/ Lots of Sandy</td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td>Clay & Caliche</td><td></td><td></td><td></td></tr> <tr><td>204</td><td>212</td><td></td><td>Fine to Some Med Sand w/ Sandy Clay & Caliche</td><td></td><td></td><td></td></tr> </tbody> </table>							FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2		Surface	212	217	Sandy Clay & Caliche w/ Few	2	4		Loess			Fine Sand Str	4	14		Clay	217	220	Fine to Some Med Sand w/ Sandy	14	55		Clay & Caliche str			Clay & Caliche Str	55	62		Clay & Lots of Caliche				62	152		Clay w/ Caliche Str				152	165		Sandy Clay, Caliche & Sandstone Str				165	185		Sandy Clay, Caliche & Few Sand Str				185	204		Fine Sand w/ Lots of Sandy							Clay & Caliche				204	212		Fine to Some Med Sand w/ Sandy Clay & Caliche			
FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																				
0	2		Surface	212	217	Sandy Clay & Caliche w/ Few																																																																																				
2	4		Loess			Fine Sand Str																																																																																				
4	14		Clay	217	220	Fine to Some Med Sand w/ Sandy																																																																																				
14	55		Clay & Caliche str			Clay & Caliche Str																																																																																				
55	62		Clay & Lots of Caliche																																																																																							
62	152		Clay w/ Caliche Str																																																																																							
152	165		Sandy Clay, Caliche & Sandstone Str																																																																																							
165	185		Sandy Clay, Caliche & Few Sand Str																																																																																							
185	204		Fine Sand w/ Lots of Sandy																																																																																							
			Clay & Caliche																																																																																							
204	212		Fine to Some Med Sand w/ Sandy Clay & Caliche																																																																																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was																																																																																										
completed on (mo/day/yr)		7-02-04		and this record is true to the best of my knowledge and belief. Kansas																																																																																						
Water Well Contractor's License No.		554		This Water Well Record was completed on (mo/day/yr) 08-02-04																																																																																						
under the business name of Woofter Pump & Well, Inc. by (signature) <i>Grayle Woofter</i>																																																																																										
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																																																										