


1 LOCATION OF WATER WELL:		Fraction NW ¼ NE ¼ NW ¼	Section Number 7	Township Number T 28 S	Range Number R 27 E/W										
Distance and direction from nearest town or city street address of well if located within city?															
2 WATER WELL OWNER: Dodge City Coop % Terry Cramer															
RR#, St. Address, Box #		HWY 56		Board of Agriculture, Division of Water Resources											
City, State, ZIP Code		Haggard, Ks		Application Number: AS-1											
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:		<table border="1" style="float: left; margin-right: 10px;"> <tr><td colspan="2" style="text-align: center;">N</td></tr> <tr><td style="text-align: center;">X</td><td style="text-align: center;">NW NE</td></tr> <tr><td colspan="2" style="text-align: center;">W E</td></tr> <tr><td colspan="2" style="text-align: center;">SW SE</td></tr> <tr><td colspan="2" style="text-align: center;">S</td></tr> </table> 4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1 ft. ELEVATION: 222 ft. ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 222 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) X Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X				N		X	NW NE	W E		SW SE		S	
N															
X	NW NE														
W E															
SW SE															
S															
5 TYPE OF BLANK CASING USED:															
1 Steel	3 RMP (SR)	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____											
<input checked="" type="checkbox"/> 2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded _____ Threaded <input checked="" type="checkbox"/>											
Blank casing diameter 4	in. to 217	7 Fiberglass	in. to	ft., Dia	in. to ft.										
Casing height above land surface 0	in., weight 2.071	lbs./ft. Wall thickness or gauge No. .237													
TYPE OF SCREEN OR PERFORATION MATERIAL:															
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement											
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)											
SCREEN OR PERFORATION OPENINGS ARE:															
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)											
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	RECEIVED											
SCREEN-PERFORATED INTERVALS: From 217 ft. to 222 ft. From _____ ft. to _____ ft.															
GRAVEL PACK INTERVALS: From 215 ft. to 222 ft. From _____ ft. to _____ ft.															
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite X 4 Other															
Grout Intervals	From 210 ft. to 215 ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.										
What is the nearest source of possible contamination:															
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well											
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/ Gas well											
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)											
CONTAMINATED SITE															
Direction from well?															
FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO										
0	3		Sand & gravel driveway												
3	13		Clayey silt	144	166										
13	48		Red-brown sandy silt, w/abund Caliche	166	172										
48	84		Arkosic very fine grained silty, Clayey sand, w/abund caliche	172	180										
84	110		Very sandy silty clay, w/abund Caliche, alternating layers of	180	190										
			Very fine grained clayey sand												
110	122		Very fine grained sd, silty, Slightly clayey, abund caliche,	190	198										
			Some hard	198	206										
122	124		Caliche	206	220										
124	144		Very fine grained sd, silty, clay-	220	222										
PLUGGING INTERVALS															
9-8-04	and this record is true to the best of my knowledge and belief. Kansas														
Water Well Contractor's License No. 554	This Water Well Record was completed on (mo/day/yr) 10-6-04														
under the business name of Woofter Pump & Well Inc.	by (signature) 														
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.															