		WATER	WELL F	RECORE) Fo	orm W	WC-5	(SA 82a-	1212				
1 LOCATION OF WATER WE	LL:	FRACTION	3.73 7			1	CTION NUMBE	R TOWN	NSHIP NU	MBER	RANGE NUMBER		
Sedgwick	root town or pity.		1/4 NE		NW	1/4	12	T	28	S	R	<u> 2E</u>	E/W
Distance and direction from nea 14817 E. 32st S.	rest town or city:		ita, Kans:	,									
2 WATER WELL OWN	R: GUT	ZMER, D		45									
RR#,ST. ADDRESS,BOX		7 E. 32st S								Board of A	griculture, Divis	ion of Wa	iter Resource
CITY, STAT	E: Wich	ita, Kans	as				ZIP CODE:		Ap	plication No	umber:		
3 LOCATE WELL'S LOCATE	on 4 [DEPTH OF C	OMPLETED	WELL:	116	5 ft.		ELEVATIO	N:				
WITH AN "X" IN SECTION		oth of ground	water Encour	ntered:		1	ft.			ft.			ft.
	WE	ELL'S STATIC	WATER LE	EVEL 4	12	FT. BEL	OW LAND S	URFACE ME	ASURE	D ON mo	/day/yr:	6/26/	15
NA NE			Pump test	data: W	Vell wate	er was		ft. afte	г	hou	rs of pumping	⊋@	gpr
w Wile		Est. Yield:	gpr		Vell wate		116 .	ft. afte			rs of pumpin		gpn
		ore Hole Dian ELL WATER ⁻				ΙO	116 f	t. and		in.	. 1	to 1 Inject	ft. ion well
SW SE		Domestic	3. Feedlo		olic wate	er supply	7. Lawn	and garden	only	. Dewate	9	-	cify below
	2.	Irrigation	4. Industr	ial 6. Oil	field wa	iter supp	ly 8. Airco	nditioning	10	. Monitor	ing well	. ,	·
s		/as a chemical/t omitted	bacteriological	sample submi	itted to De	epartment?	YES	NO Water Well D		•	, what mo/da	ay/yr wa N 0	
5 TYPE OF CASING		-				0 (JOINTS:	=		Threaded
1. Steel	3. RPM (SR	8) 5. Wro	ught Iron	7. Fibe	erglass		Other (Specif	y below)	CASING	JUINI 3.	Welded		Clamped
2. PVC	4. ABS	6. Asb	estos-Cemer	nt 8. Con	crete tile	, 2r	PR-26				***************************************	Ì	Olampea
Blank casing diameter	5	in. to	50	ft., D	ia.	in.	to	ft.,	Dia.		in.	to	ft.
Casing height above land	surface:	12 ir	١.,	Weigl	ht: 2	2.35	lbs. / ft.	Wa	all thickn	ess or gat	uge No.	.214	
TYPE OF SCREEN OR PI		-	1	7 BVC		0	ADC	4.4	Other	'annaife ()			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
SCREEN OR PERFORATI			0.0 1.10	0.1111	(OII)	10.	~3De3103-Ce	inient 12	INONE	iseu (opei	ii iioie)		
1. Continuous slot	ON OPENING 3. Mill sic		5. Gauzed	wrapped		7 T	orch cut	9	Drilled h	oles	11 No	ne (on	en hole)
2. Louvered shutter	4. Key pu		6. Wire wra	• •			aw cut		Other (s			ле (ор	en noie,
				•		_			Other (s	pecity)			
SCREEN - PERFORATION	IINTERVAL	From	50	ft.	to	116	ft.,	From		ft.	1	to	ft.
GRAVEL PACK IN	TEDVALE.	From	24	ft. ft.	to	116	ft.,	From -		ft.	1	to	ft.
GRAVEL PACK IN	II ERVALS.	From	24		to	116	ft.,	From		ft.	1	to	ft.
6 GROUT MATERIALS:		From		ft.	to		ft.,	From		ft.		to	ft.
<u>o</u>	1. Neat c om 4	ement ft.	2. Ce to 24	ment Grou	-	_	3. Bentonite		Oth		tonite ho	e plug	3
What is the nearest source			10 24	ft., F	rom	ft	. to	ft.	, F	rom	ft.	to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy						Livesto	ck pens	13. Insecticide storage 15. Oil well/Gas well					s well
2. Sewer lines	5. Cess P	ool	8. Sewag	e lagoon	11	. Fuel ste	orage	14. Ab	andon w	vater well	16. Oth	er (spec	cify below)
3 Watertight sewer line		ge pit	9. Feed y	ard	12	. Fertilize	er storage						
Direction from well?	Cast	ITHOLO	GIC I OC	<u>, </u>		Erom	T +0	Hov			0 ft. plus		
0 3 top		LITTIOLO	GIC LOG	,		From	То		<u> </u>	IHOL	OGIC LO	ف	
	and fine	sand											
	wn shale						ļ						
1 1	y shale												
110 110	estone												
												····	
													
					\dashv		 	<u> </u>					
									*******			-	
								· · · · · · · · · · · · · · · · · · ·					
7 Contractor's or Lando	unara Cadir-	ation: This	otor wall ····	1		` ^		4 6- 7		~~~	und :		
		6/26/20					constructe		plug	_	under my ju	sdiction	and
was completed on (mo/d			13				•	knowledge a					
Kansas Water Well Contr			_		ater well			d on (mo/day/	•		9/2015		
under the business name	of Harp V	Vell and I	rump Ser	vice		by (s	ignature)		Too	ld S	S. Ha	rp	