


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Gray	Fraction E/2 NE 1/4 NE 1/4	Section number 31	Township number T 28 S 29 E 1	Range number 29
2. Distance and direction from nearest town or city: 5 mi East of Copeland, KS Street address of well location if in city:				3. Owner of well: Dale L. Koehn R.R. or street: Box 80 City, state, zip code: Copeland, KS. 67837		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 9 in. Completion date 5/6/77 Well depth 240 ft.		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Overburden		0 126		9. Casing: Material Pts Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 14 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 14 lbs./ft. Dia. 5 in. to 180 ft. depth Wall Thickness: inches or Dia. 5 in. to 180 ft. depth gauge No. 0.253		
Clay + thin streaks medium sand		126 194		10. Screen: Manufacturer's name J+L Type PVC Dia. 5" Slot/gauze 1/16 Length 60 Set between 180 ft. and 240 ft. ft. and 240 ft. Gravel pack? Yes Size range of material 1/8"		
Medium sand + tight clay streaks		194 240		11. Static water level: 126 ft. below land surface Date 5/6/77 no./day/yr.		
				12. Pumping level below land surfaces: ft. after 16 hrs. pumping 25 g.p.m. ft. after 16 hrs. pumping 25 g.p.m. Estimated maximum yield 25 g.p.m.		
				13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 5/6/77 mo./day/yr.		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 16 inches above grade		
				15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.		
				16. Nearest source of possible contamination: ft. 250 Direction W. Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. T+W Water Well 142 Business name License No. Address Box 816 Liberal, KS. Signed Cal Kibigian Date 6/1/77 Authorized Representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		17 Well to completed by: Dunham Drilling Copeland, KS. 67837				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5