


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County	Fraction	Section number	Township number	Range number
	Gray	SW 1/4 NE 1/4 SW 1/4	36	T 28	S 29 E/W
2. Distance and direction from nearest town or city: Street address of well location if in city:	2 1/2 miles south of west edge of Montezuma, Ks., 3/8 east, 600 ft. north		3. Owner of well: R.R. or street: City, state, zip code:	Dana Lupton Montezuma, Ks.	
4. Locate with "X" in section below:	Sketch map: 		6. Bore hole dia. <u>26</u> in. Completion date <u>8-20-75</u> Well depth <u>195</u> ft.		
			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
			9. Casing: Material <u>Steel</u> Height: Above or <u>12</u> in. Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>3687</u> lbs./ft. Dia. <u>16</u> in. to <u>196</u> ft. depth Wall Thickness: inches or Dia. <u>16</u> in. to <u>196</u> ft. depth gage No. <u>219 MHC</u>		
5. Type and color of material	From	To	10. Screen: Manufacturer's name <u>Johnson Division</u> Type <u>Galv.</u> Dia. <u>16"</u> Slot/gauge <u>20"</u> Length <u>20'</u> Set between <u>165</u> ft. and <u>185</u> ft. Perf: <u>110-165</u> , ft. and <u>185-195</u> ft. Gravel pack? <u>yes</u> Size range of material <u>16" down</u>		
			11. Static water level: <u>116</u> ft. below land surface Date <u>8-25-75</u>		
			12. Pumping level below land surfaces: <u>146</u> ft. after <u>2</u> hrs. pumping <u>508</u> g.p.m. <u>165</u> ft. after <u>4</u> hrs. pumping <u>681</u> g.p.m. Estimated maximum yield <u>600</u> g.p.m.		
			13. Water sample submitted: <u>no</u> Date <u>8-25-75</u>		
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> Inches above grade		
			15. Well grouted? <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.		
			16. Nearest source of possible contamination: <u>N/A</u> ft. <u>0</u> Direction <u>0</u> Type <u>0</u> Well disinfected upon completion? <u>no</u> Yes <input checked="" type="checkbox"/> No		
			17. Pump: Not installed Manufacturer's name <u>Goulds - U.S.</u> Model number <u>K-2167</u> HP <u>1</u> Volts <u>115</u> Length of drop pipe <u>180</u> ft. capacity <u>600</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Minter-Wilson Drilling Co. 208</u> Business name <u>Box 493 Garden City, Ks.</u> License No. <u>11-22</u> Address <u>14th & 1st</u> Signed <u>John Minter</u> Date <u>11-22-75</u> Authorized representative		
18. Elevation:	19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Dana Lupton
Gray County
8-5-75

Location: 2 $\frac{1}{2}$ miles south of west edge of Montezuma, 3/8 mile
east, 600 ft. north SW $\frac{1}{4}$ 36-28-29

Test #2

0	2	Top soil
2	89	Brown clay
89	139	Fine to med. sand & gravel
139	153	Brown clay
153	185	Fine to med. sand & gravel
185	215	Brown & yellow clay

Static Water Level: 105

T.D. 195'