		WATER	R WELL F	RECO	RD F	orm WV	VC-5 k	(SA 82a-	1212			
1 LOCATION OF WATER WE					TION NUMBE		TOWNSHIP NUMBER		RANGE NUMBER			
☐ Sedgwick		NW	1/4 NW	1/4	\mathbf{SW}	1/4	13	Т	28 s	R	3W	E/W
Distance and direction from nea	arest town or city str	reet address	of well if located	d within cit	ty?					-		
4440 S. 228th	Go	ddard, I	Kansas									
2 WATER WELL OWN		P HOM							Board	of Agriculture, Divis	ion of Wal	ter Resource
RR#,ST. ADDRESS,BO			tive Ste. #	4					Board .	or Agriculture, Divis	IOII OI VVAI	ter resource
CITY, STA	TE: Wichit	ta, Kans	as				IP CODE:			n Number:		
3 LOCATE WELL'S LOCAT	ION 4 DE	EPTH OF C	OMPLETED	WELL:	12	O ft.		ELEVATIO	N:			
N N		h of ground	water Encour	ntered:		ft			ft.			ft.
	WEL	L'S STATI	C WATER LE	VEL	30	FT. BELC	W LAND S	URFACE ME	ASURED ON	mo/day/yr:	10/22/	18
NW N	■ · · 		Pump test	data:	Well wat	er was		ft. after		hours of pumping		gpm
w William		Est. Yield:	gpr	4.5	Well wat			ft. after		hours of pumping		gpm
≥ w	1 1	re Hole Diar		12 ir	٦.	to .	120 fi	t. and		in.	to	ft.
sw s		L WATER	TO BE USED 3. Feedlo		Public was	ter supply	7. Lawn	and garden	9. Dew	atering	1. Injecti	
		Irrigation	4. Industr			ater supply		nditioning	-	ાટ. Uti iitoring well	ner (Spe	cify below)
l L s		-	/bacteriological				YES	(NO) ; If	yes, what mo/da	ay/yr wa	s sample
	subr	mitted					Was	Water Well D	isinfected?	(YES)	NC	<u> </u>
5 TYPE OF CASING		5. Wro	ought Iron	7. F	Fiberglass	9. C	ther (Specif	fy below) (CASING JOIN	ITS: Glued	T	Threaded
1. Steel	3. RPM (SR)		pestos-Cemer	0 /	Concrete ti	s SD	R-26			Welded	(Clamped
2. PVC	4. ABS											<u>.</u> .
Blank casing diameter	5 in		o 45	ft.,	Dia.	in.	to	ft.,	Dia.	in.	to	ft.
Casing height above land	d surface:	12 ;	in.,	W	eight:	2.35	bs. / ft.	Wa	III thickness o	r gauge No.	.214	
TYPE OF SCREEN OR F				7.5	1/0		. 50	4.4	Other (enesi	6)		
	inless Steel	5. Fiber	-	7. P			ABS		. Other (speci	•		
	Ivanized	6. Conc	rete Tile	0. K	MP (SR)	10. 7	Asbestos-Ce	ement 12	. None used (open noie)		
SCREEN OR PERFORAT										44. 10		6-1-1
1. Continuous slot	3. Mill slot	l .	5. Gauzed	wrappe	d	7. 10	orch cut	9. 1	Drilled holes	11. No	one (op	en hole)
2. Louvered shutter	4. Key pur	nched	6. Wire wr	apped		(8. Sa	aw cut	10. (Other (specif	y)		
SCREEN - PERFORATIO	N INTERVAL	From	45	ft.	to	116	ft.,	From	ft.		to	ft.
		From		ft.	to		ft.,	From	ft.		to	ft.
GRAVEL PACK I	NTERVALS:	From	24	ft.	to	116	ft.,	From	ft.		to	ft.
		From		ft.	to		ft.,	From	ft.		to	ft.
6 GROUT MATERIALS									Other			11.
띧	: 1. Neat ce rom 4	ft.	to 24	ement G	From	_	3. Bentonite			4	4	64
What is the nearest source				11.,	Fioni	ft.	to	ft.,	, From	ft.	ιο	ft.
1. Septic tank	4. Lateral li		7. Pit pri	vy	1	0. Livesto	ck pens	13. ins	ecticide stor	3 -	well/Ga	
2. Sewer lines	5. Cess Po	ool	8. Sewag	je lagoo	n 1	1. Fuel sto	orage	14. Ab	andon water	****		cify below)
3 Watertight sewer lin	6. Seepage	e pit	9. Feed y	ard	1	2. Fertilize	r storage			I	None Y	Yet
Direction from well?								Hov	v many feet?			
From To		ITHOLO	OGIC LOC	}		From	То		LITH	OLOGIC LC)G	
1 1 -	osoil						ļ					
3 20 cla												
	e sand					 	+	+				
31 116 gr	ey shale					 	 	 				
		 .	. <u>.</u>				1	 				
								1				
							-					
						<u> </u>	-	 				
						i	1	L				
								+				
		,										

under my jurisdiction and Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged was completed on (mo/day/year) 10/22/18 and this record is true to the best of my knowledge and belief. 10/24/18

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp