


1 LOCATION OF WATER WELL: County: <u>Edgworth</u> Fraction: <u>NE 1/4 NW 1/4 NE 1/4</u> Section Number: <u>1</u> Township Number: <u>T 28</u> Range Number: <u>R 3</u> <u>EW</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>1 W 1 So 1/2 West Goddard KS.</u>	
2 WATER WELL OWNER: <u>JAMES DENNIS</u> RR#, St. Address, Box #: <u>2410 So 222nd West</u> Board of Agriculture, Division of Water Resources City, State, ZIP Code: <u>Goddard KS.</u> Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>60</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>38</u> ft. 2. <u>38</u> ft. 3. <u>38</u> ft. WELL'S STATIC WATER LEVEL <u>38</u> ft. below land surface measured on mo/day/yr <u>12-10-88</u> Pump test data: Well water was <u>38</u> ft. after <u>12</u> hours pumping <u>20</u> gpm Est. Yield <u>60</u> gpm: Well water was <u>38</u> ft. after <u>12</u> hours pumping <u>20</u> gpm Bore Hole Diameter <u>1 1/2</u> in. to <u>60</u> ft., and <u>60</u> in. to <u>60</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning <u>11 Injection well</u> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No <u>X</u>
5 TYPE OF BLANK CASING USED: 1 Steel <u>3 RMP (SR)</u> 2 PVC <u>4 ABS</u> Blank casing diameter <u>5</u> in. to <u>40</u> ft., Dia. <u>1.59</u> in. to <u>59</u> ft., Dia. <u>59</u> in. to <u>59</u> ft. Casing height above land surface <u>12</u> in., weight <u>1.59</u> lbs./ft. Wall thickness or gauge No. <u>SPR-26</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass <u>7 PVC</u> 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile <u>8 RMP (SR)</u> 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>3 Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <u>40</u> ft. to <u>60</u> ft., From <u>40</u> ft. to <u>60</u> ft., From <u>40</u> ft. to <u>60</u> ft. GRAVEL PACK INTERVALS: From <u>23</u> ft. to <u>60</u> ft., From <u>23</u> ft. to <u>60</u> ft., From <u>23</u> ft. to <u>60</u> ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other Grout Intervals: From <u>3</u> ft. to <u>23</u> ft., From <u>3</u> ft. to <u>23</u> ft., From <u>3</u> ft. to <u>23</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines <u>7 Pit privy</u> 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool <u>8 Sewage lagoon</u> 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>EAST</u> How many feet? <u>110</u>	
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0 2 Top so. /	
2 38 clay	
38 55 fine & med sand	