


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Gray	Fraction N/2 SW/4 SW/4	Section number 5	Township number T 28 S	Range number R 30 E
2. Distance and direction from nearest town or city: 1 mile North and 1/4 mile East Street address of well location if in city:				3. Owner of well: Floyd Hart R.R. or street: City, state, zip code: Copeland, Kansas 67837		
4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W E S 1 Mile</div> 				6. Bore hole dia. 280 in. Completion date 8-18-76 Well depth 280 ft.		
5. Type and color of material				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Top Soil & clay				9. Casing: Material steel Height: Above surface Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12" in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 8 lbs./ft. Dia. 8 in. to 8 ft. depth Wall Thickness: inches or Dia. 8 in. to 8 ft. depth gage No. 8		
				10. Screen: Manufacturer's name W A Brown Ent. Type Bridge Dia. 16" Slot/gauze slot Length 2" Set between 180 ft. and 280 ft. ft. and 280 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 5/8		
Clay				From 9	To 15	11. Static water level: 145 ft. below land surface Date 8-18-76
Sand & little cemented sand				60	75	12. Pumping level below land surfaces: 160 ft. after 5 hrs. pumping 1280 g.p.m. ft. after 5 hrs. pumping 1280 g.p.m. Estimated maximum yield 1800 g.p.m.
Clay, sand & little cemented sand				75	105	13. Water sample submitted: 1800 g.p.m. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 8-18-76
Sand & little clay				105	165	14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade
Sand				165	195	15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
Coarse sand & little cemented sand				195	210	16. Nearest source of possible contamination: None ft. 0 Direction None Type None Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Sand				210	254	17. Pump: Layne Not installed Manufacturer's name Layne Model number 1976 HP 100 Volts 200 Length of drop pipe 200 ft. capacity 200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
Clay (blue) & little fine sand				254	300	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Dunham Drilling Co. 223 Business name Dunham Drilling Co. License No. 223 Address Copeland, Kansas 67837 Signed Don Dunham Date 8-18-76 Authorized representative
18. Elevation:				19. Remarks: Land Machine Levelled		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5