


1 LOCATION OF WATER WELL County: Gray		Fraction SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$	Section Number 15	Township Number T 28 S	Range Number R 30 E/W
Distance and direction from nearest town or city? 4 $\frac{1}{2}$ N., 2 $\frac{1}{2}$ E. of Copeland, Ks.			Street address of well if located within city?		
2 WATER WELL OWNER: RR#, St. Address, Box #: Rolla, Kansas 67954			Board of Agriculture, Division of Water Resources Application Number: ----		
3 DEPTH OF COMPLETED WELL 320 ft. Bore Hole Diameter 9 7/8 in. to 320 ft., and in. to ft.					
Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
Well's static water level 135 ft. below land surface measured on November XX month 27 day 1979 year					
Pump Test Data: Est. Yield 50+ gpm: Well water was ft. after hours pumping. gpm Well water was ft. after hours pumping. gpm					
4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued XX Clamped XX PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing dia 5 in. to 230 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No 265					
5 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) Screen-Perforation Dia 5 in. to 320 ft., Dia in. to ft., Dia in. to ft.					
Screen-Perforated Intervals: From 230 ft. to 320 ft., From ft. to ft. From ft. to ft., From ft. to ft. Gravel Pack Intervals: From 14 ft. to 320 ft., From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: XXX Neat cement 2 Cement grout 3 Bentonite 4 Other Grouted Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) 13 Watertight sewer lines Road Ditch Direction from well South How many feet 60' ? Water Well Disinfected? Yes X No Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes XXX No If Yes: Pump Manufacturer's name Aermotor Model No SD20-200 HP 2 Volts 220 Depth of Pump Intake 252 ft. Pumps Capacity rated at 20 gal/min.					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on December month 7 day 1979 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on December month 17 day 1979 year under the business name of Friesen Windmill & Supply Inc. by (signature) <i>J. Friesen</i>					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  ELEVATION: Upland					
Depth(s) Groundwater Encountered 1. Not available ft. 3 ft. 4 ft. (Use a second sheet if needed)					
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					