


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Gray	Township name	Fraction SE NE SE/4	Section number 23	Town number 28	Range number 30
Distance and direction from nearest town or city:			3 Owner of well: Walter Redger Montezuma, Kansas			
Street address of well location if in city:						
Locate with "X" in section below: 						
Sketch map:						
4 Well depth: 290 ft. Date of completion 9-3-75 Well diameter 9 7/8 in.						
5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary						
6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well						
7 Casing: Material RMP Height: XXX in./below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 40 in. Diam. 220 lbs./ft. 100 5 in. to 290 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to ft. depth						
8 Screen: Manufacturer Jess & Lowell Type RMP Dia. 5" Slot/gauze 1/8 " Length 60' Set between 230 ft. and 250 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 14"						
9 Static water level: 130 ft. below land surface Date 8/20/75						
10 Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 30 g.p.m.						
11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____						
12 Well head completion: <input checked="" type="checkbox"/> Pitless adapter 10 inches above grade						
13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> cement Depth: From 0 ft. to 10 ft.						
14 Nearest source of possible contamination: ft. 200' Direction W Type corral Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						
15 Pump: Not installed Manufacturer's name Aermotor Model number SD19 HP 2 Volts 230 Length of drop pipe 231 ft. capacity 20 g.m.p. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other						
16 Remarks: elevation (use a second sheet if needed)						
17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name Montezuma, Kansas 67864 License No. Address Montezuma, Kansas 67864 Signed Walter Redger Date 9-24-75 Authorized representative						