

USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <b>Gray County</b>	Fraction 1/4      1/4 <b>SE 1/4</b>	Section number <b>34</b>	Township number <b>28</b>	Range number <b>30</b>	E/W	
2. Distance and direction from nearest town or city Street address of well location if in city:	<b>West of Montezuma to the Jct. 56 - 144 on 144 West 1 1/2 miles, 60' North</b>					3. Owner of well: <b>Rueben Koehn Montezuma, KS 67867</b>	
4. Locate with "X" in section below:	Sketch map:					6. Bore hole dia. <b>26</b> in. Completion date <b>6-30-79</b> Well depth <b>334</b> ft.	
						7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
5. Type and color of material	From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other				
<b>Casing Schedule</b> 0 - 140 Plain 140 - 220 Perf. 220 - 260 Screen 260 - 334 Perf.						9. Casing: Material <b>Steel</b> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>1 ft.</b> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <b>36.87</b> lbs./ft. Dia. <b>16</b> in. to <b>334</b> ft. depth Wall thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <b>.219</b>	
						10. Screen: Manufacturer's name <b>Johnson</b>	
						Type <b>Johnson Galv. Di 100-16"</b> Slot/gauze <input type="checkbox"/> Length <input type="checkbox"/> Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <b>yes</b> Size range of material <b>1/8 to 5/8</b>	
						11. Static water level: <input type="checkbox"/> mo./day/yr. <b>89</b> ft. below land surface Date <b>5-17-79</b>	
						12. Pumping level below land surfaces: <b>100</b> ft. after <b>2</b> hrs. pumping <b>1100</b> g.p.m. <b>104</b> ft. after <b>4</b> hrs. pumping <b>1500</b> g.p.m. Estimated maximum yield <b>1500</b> g.p.m.	
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <b>Yes</b> <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
						14. Well head completion: <input type="checkbox"/> Pitless adapter <b>1 ft.</b> inches above grade	
						15. Well grouted? <b>yes</b> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.	
						16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <b>N/A</b> Type <input type="checkbox"/> Well disinfected upon completion? <b>Yes</b> <input type="checkbox"/> No	
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <b>Gould 3 stg. 14" Bowl</b> Model number <input type="checkbox"/> HP <b>200</b> Volts <input type="checkbox"/> Length of drop pipe <b>200</b> ft. capacity <b>1200</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)						18. Elevation:  Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:
						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Minter Wilson Drilling Co. 208</b> Business name <input type="checkbox"/> License No. Address <b>Box A, Garden City, KS 67846</b> Signed <b>John Wilson</b> Date <b>8/17/79</b> Authorized representative <input type="checkbox"/>	

# MINTER-WILSON DRILLING CO. INCORPORATED

## Irrigation and Domestic Water Systems for the Installat- ion and Repairing

1000 11th Street • Wichita, Kansas • 67203-2860

April 2, 1979

Reuben Koehn  
Gray County

Location: S. E. 1/4 34-28-30 West of Montezuma to the Jct. 56 - 144 on 144 West 1/4 miles, 60' North

Static Water Level - 100

卷之三

1	Top Soil
62	Brown Clay
93	Brown Sandy Clay
88	Fine to med. sand
119	Light Brown Sandy Clay
151	Fine to med. sand and fine gravel (loose)
160	Brown Sandy Clay
170	Fine to med. sand and gravel small streak of coarse gravel (loose)
104	Fine to med. sand and gravel
193	Gray Clay
267	Fine to med. sand and gravel (loose)
285	Brown Sandy Clay 10% Gravel streak
291	Fine to med. sand and gravel (loose)
298	Light Brown Sandy Clay
304	Fine to med. sand and gravel (loose)
322	Brown Sandy Clay
334	Fine to med. sand and gravel 15% clay
347	Brown Sandy Clay
380	Brown Sandy Clay White Rock mixed no good
390	Brown Yellow Clay Brown Rock
395	Shale

T<sub>1</sub>, T<sub>2</sub>, 324.6