WATER WELL RECORD	Form WWC		Division of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL:	Fraction 1/4 WW1/4 \$\int \frac{1}{4} \text{WW} \frac{1}{4} \text{F} \frac{1}{4}	Y/S Sec	tion Number	Township No.	Range Number	
County: Vary	1/4 N VV 1/4 3/5 1/4	NR 1/4	75	T 29 S	R 28 DE XW	
Street/Rural Address of Well Location; if from nearest town or intersection: If at o	t unknown, distance & dii	ection Gio		g System (GPS) in		
from nearest town or intersection: If at owner's address, check here . Latitude:						
21 Miles South of Cimarron			Elevation:			
2 WATER WELL OWNER: Leave Handelond			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Lerry Harlskamp RR#, Street Address, Box #: 3085 22 Road			Collection Method:  GPS unit (Make/Model:)			
City, State, ZIP Code: Fowler, 145 67844			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
A TOCATOR TYPEST		AT A SAME		<3 m, ☐ 3-5 m, ☐	5-15 m, <u></u>   >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Ground	Depth(s) Groundwater Encountered (1)					
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after						
W NW NE EST. YIELD						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation						
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected?   Yes   No						
5 TYPE OF CASING USED: Steel YPVC Other						
CASING IOINTS: W Glued    Clamped    Threaded						
Casing diameter 5 in to 285 ft. Diameter in to ft. Diameter in to ft. Diameter in to ft.						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORAȚION OPENINGS ARE:						
☐ Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)  Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage pity Feedyard Fertilizer storage Oil well/gas well						
Direction from well	bserved	Distance from				
FROM TO LITHOLOG		ROM TO			JGGING INTERVALS	
0 3 Topsoil		285 22 225 %		250 pri	Caring	
3 85 Cdliche & Sa 85 158 Sand & Some	nay Clay	~~)   10/		- roupse	Casivis	
158 240 Sandy Clay	CAMPEL.					
240 285 Clay w/ sand	streaks					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was toonstructed, a reconstructed, or plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)						
under the business name of						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
1 mm + + = = = = = = = = = = = = = = = =		, ,		C 05 00 C	Topeka, Kansas 00012-1307.	