WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | Section number | | Township number | Range number | |
|---|-------------------------------------|------------------|--------|---|--------------------------------|---|---------------------------|--------------------|
| 1. Location of well: | Haskell | NE 1/4 NE 1/4 NW | 1/4 | 21 | L | T 28 S | R 31 W | E/W |
| 2. Distance and direc | ction from nearest town or city:4 n | ry Unruh | | | | | | |
| Street address of well location if in city: Of Copeland R.R. or street: City, state and and a color. | | | | | | analand Vancas | 67027 | 1 |
| 4 1 | City, st | ate, zip c | ode: C | opeland, Kansas 67837 6. Bore hole dia 9 7/8 in. Completion date | | | | |
| 4. Locate with "X" in section below: N | | | | | | Well depth 396 ft. 7-31-78 | | |
| † [× | | | | | | 7 Cable tool X Rotary Driven Dug | | |
| | | | | | | Hollow rod Jetted Bored Reverse rotary | | |
| ₹ w 1 1 1 E | | | | | | 8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock | | |
| | | | | | | Lawn Oil field water Other | | |
| | | | | | | 9. Casing: Material <u>PVC</u> Threaded <u>Welded X</u> | | |
| | | | | | | RMP PVC _X | | |
| 11 Mile | | | | | | Dia. 5 in. to 396ft. dep | oth Wall Thickness: inche | es or |
| 5. Type and color of | material | | | From | То | Dia in. to ft. dep | | |
| | | | | | | Pum | pco | |
| Top soil | | | | 0 | 8 | Type PVC Slot/game fine | Dia | |
| Sandy clay | | | | 8 | 120 | Set between X 236 | _ft. on 6 2 3 30 5 3 3 | 26 _{th} . |
| Med. to lar. sand & gravel & rocks | | | | 120 | 246 | 356 x336k ft. of Gravel pack? Yes. Size ra | | ft. |
| | | | | | | 11. Static water level: | mo./d | day/yr. |
| Yellow clay | | | | 246 | 258 | 235_ft. below land sur | face Date | <u>7/78</u> |
| Med. to lar. sand & gravel | | | | 258 | 340 | | | |
| Blue clay & sand streaks | | | | 340 | 400 | ft. after | hrs. pumping | |
| | | | | | | - Estimated maximum yield | | g.p.m. |
| Fine sand to med. sand | | | | 400 | 450 | | mo./d | day/yr. |
| | | | | | | 14. Well head completion: | | |
| | | | | | | X Pitless Unit | | ade |
| | | | | 1 | | 15. Well grouted? <u>Yes</u> With: XX Neat cement | | ncrete . |
| | | | | ļ | | Depth: From4 ft. to | | 1,6,6,6 |
| | | | | | | 16. Nearest source of possible | e contamination: | |
| | | | | | | ft. <u>40</u> Direction Well disinfected upon compl | | No |
| | | | | 1 | | 17. Pump: | Not installed | |
| | | | | | | Manufacturer's name | Aermotor HP_1½ Volts | 220 |
| | | | | | | Length of drop pipe _283 | ft. capacity 10_g | |
| | | | | | | Type: XX Submersible | Turbine | |
| | | | | | | Jet Jet | Reciproce | ating |
| | | sheet if needed) | | | | Centrifugal | Other | |
| 18. Elevation: 19. Remarks: | | | | | | 20. Water well contractor's This well was drilled under n | | eport |
| Old Well not plugged | | | | | is true to the best of my know | · ' | | |
| Topography: | | | | | | Friesen Windmi Business name | | |
| Slope | | | | | | Address Meade, Ka | nsas 67864 | لِــّـــا |
| XX Upland Valley | | | | | | Signed Authorized re | presentative Date | -18-28 |