WA	ATER WELL RECORD	Form WWC-5		Divisio	n of Water	r Resources; App. No.	21,365	
1	LOCATION OF WATER WELL:	Fraction	1/	Section N	lumber	Township Number	Range Number	
	County: <b>Haske11</b> Distance and direction from nearest town or cit	NW 1/4 NE 1/4 SE			sitionino	T 28 S Systems (decimal deg	R 31 EW	
	located within city? Hwy. 83 & 56 Junct	ion SW of Suble	tte	Latitude:		, bystems (decimal deg	,	
	M. North, 9 M. East, 2,580 Ft. 1	North & 995 Ft.	West					
2		ngelyn Nightenga	le	Elevation	n:			
	RR#, St. Address, Box # : 1011 XX I			Datum:				
		Kansas 67837		Data Col		Method:		
3	LOCATE WELL'S 4 DEPTH OF COMP LOCATION							
	SECTION BOX: WELL'S STATIC WA	TION BOX: WELL'S STATIC WATER LEVEL320 ft. below land surface measured on mo/day/yr61207						
	N Pump test data: Well water wasft. after hours pumping gpm							
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w	NW NE   E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
**	X 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
	Sample was submitted							
-	S S S S S S S S S S S S S S S S S S S	9. C	40 4:10		CACINIC	C IODITC: Cl., 1	Classia	
3	TYPE OF CASING USED: 5 Wrought I 1 Steel 3 RMP (SR) 6 Asbestos-					G JOINTS: Glued Welded	Clamped	
	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded XX							
2 PVC       4 ABS       7 Fiberglass       From 495 Ft								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Gr	rout Intervals: From 0 ft. to	<b>20</b> ft., From <b>34</b>	0	ft. to	<b>400</b> ft	., From	ft. toft.	
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
	3 Watertight sewer lines 6 Seepage pit			orage zer Storage		l well/gas well .	below)	
Di	rection from well? West			y feet?		285		
FR	ROM TO LITHOLOGIC	LOG	FROM	TO		PLUGGING INTE	ERVALS	
	See attached log							
					_			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)6-12-07 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 6-14-07 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) 1000 Kellen								
INS	STRUCTIONS: Use typewriter or ball point pen. <u>PLEAS</u>	SE PRESS FIRMLY and PRI	NT clear	ly. Please fil	ll in blanks	underline or circle the co	rrect answers. Send top	
	ee copies to Kansas Department of Health and Environmen 5-296-5522. Send one to WATER WELL OWNI							
	785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .							

## MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

**INCORPORATED** 

Phone 276-8269 P.O. Box A **GARDEN CITY, KANSAS 67846** 

Mike Nightengale Haskell County 5-6-07

Location:  $SE_{k}^{1}$  21-28-31 - From Salem Church - 3 miles south, 1 mile west, mile south, 1,236 ft. west & 20 ft. south to well - Offset 285 ft. east

Static Water Level -

## Test #1

0' to 1' - Top soil 1' to 95' - Brown clay 95' to 120' - Brown sandy clay: 120' to 142' - Fine to medium sand 142' to 146' - Gray clay - hard 146' to 160' - Fine to medium sand & gravel 160' to 350' - Fine to medium sand & gravel - clay streak 350' to 388' - Blue clay - 30% fine to medium sand 388' to 413' - Brown clay - fine to medium sand streak 413' to 425' - Fine to medium sand & gravel 425' to 444' - Brown sandy clay 444' to 452' - Fine to medium sand & gravel 452' to 493' - Brown sandy clay 493' to 576' - Brown clay 576' to 630' - Fine to medium sand & gravel-brown yellow rock mixed 630' to 635' - Brown yellow clay 635' to 665' - Blue shale - sticky