

WATER WELL RI		WWC-5	1138			ion of Water		W 11 ID	
		e in Well Use				rces App. No		Well ID	N. 1
1 LOCATION OF WA	ATER WELL:	Fraction	1/		Section	on Number	Township Numb		ge Number
County:		1/4 1/4	1/4		D 1	1 4 1 1	T S	R	□E □W
2 WELL OWNER: Las Business:	st Name:	First:					here well is located		
Address:				direction ir	om nea	arest town or ir	tersection): If at owne	er s address, o	ineck nere:
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WI	TII.		ft	5 Lotitud	0.		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater 1				8,				
SECTION BOX:	2) ft. 3								
N	WELL'S STATIC WA								
X	☐ below land surface,					···· GPS (unit make/model:)
NW NE	☐ above land surface,						(WAAS enabled?		
	Pump test data: Well w					☐ Land Survey ☐ Topographic Map			
W E	after hours	ater was			Online Mapper:				
SW SE	after hours								
	Estimated Yield:			gpiii	6 Elevation:ft. ☐ Ground Level ☐ TOO			Level TOC	
S	Bore Hole Diameter:			ft. and		Source:	☐ Land Survey ☐	GPS To	pographic Map
mile							☐ Other	• • • • • • • • • • • • • • • • • • • •	
7 WELL WATER TO	BE USED AS:								
1. Domestic:	Public Wa					10. 🔲 Oil I	Field Water Supply: 1	ease	
☐ Household	6. Dewaterin								
Lawn & Garden	7. Aquifer Re						d Uncased		
Livestock	8. Monitoring						mal: how many bore		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta ☐ Air Sparge			Extraction					
4. Industrial	☐ Recovery	☐ Injec		Extraction			er (specify):		
Was a chemical/bacteri		-		Vac 🗆 N	Jo I		ample was submitte		
Water well disinfected?		itted to KDH	е:	res 🔲 r	NO 1	ii yes, date s	ampie was submitte	a	
8 TYPE OF CASING		C D Other		CA	SINIC	C IOINTS:	□ Clued □ Clempe	d 🗆 Waldad	I D Threaded
Casing diameter									1 🔲 Illieaded
Casing diameter							ess or gauge No		
TYPE OF SCREEN OR				1000		,, 411 (11101111	os of gaage two times		
	less Steel		PVC			☐ Other	(Specify)		
☐ Brass ☐ Galva	nnized Steel	rete tile	None u	ised (open	hole)				
SCREEN OR PERFORA									
		auze Wrapped					Other (Specify)		
Louvered Shutter	☐ Key Punched ☐ W	ire Wrapped	∐ Sa	w Cut [Noi	ne (Open Hol	e)	6	c
SCREEN-PERFORATE									
	K INTERVALS: From								
9 GROUT MATERIAL									• • • • • • • • • • • • • • • • • • • •
Grout Intervals: From									
Septic Tank	Lateral Line	s 🔲 Pit I	Privv		□Li	ivestock Pens	☐ Insecti	cide Storage	
Sewer Lines									
☐ Watertight Sewer Line					☐ Fe	ertilizer Stora	ge 🔲 Oil We	ell/Gas Well	
Other (Specify)	☐ Other (Specify)								
			from w						G DIEEDII I G
10 FROM TO	LITHOLOG	FIC LOG		FROM	1	TO L	ITHO. LOG (cont.) o	r PLUGGIN	JINTERVALS
				+	-+				
				+					
				+					
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and	d was completed on (m	no-day-year)		a	and th	is record is	true to the best of m	y knowleds	ge and belief.
Kansas Water Well Cont	ractor's License No	T	his Wa	ater Well	Recor	rd was comp	oleted on (mo-day-y	ear)	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Ashley Yost		
Doc ID	1139117		

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	27	BROWN SANDY CLAY
27	95	BROWN SANDY CLAY W/ FINE SAND STRIPS
95	105	SAND FINE TO MED
105	146	BROWN SANDY CLAY W/ FEW SAND STRIPS
146	252	SAND FINE TO MED COARSE SMALL GRAVEL
252	256	BROWN SANDY CLAY W/ COUPLE SAND STRIPS
256	273	SAND FINE TO MED COARSE SMALL GRAVEL
273	277	BROWN SANDY CLAY
277	285	SAND FINE TO MED COARSE
285	315	BROWN SANDY CLAY W/ FEW SAND STRIPS
315	363	SAND FINE TO MED COARSE SMALL GRAVEL
363	380	BROWN SANDY CLAY W/ SOME SAND STRIPS
380	458	SAND FINE TO MED COARSE SMALL GRAVEL
458	474	BROWN SANDY CLAY W/ SOME SAND STRIPS
474	479	BROWN CLAY
479	500	BROWN SANDY CLAY W/ MANY SAND STRIPS

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Ashley Yost		
Doc ID	1139117		

Litholgy

From	То	LithologicLog
500	524	FINE SAND W/ SOME CLAY STRINGERS
524	577	BROWN CLAY W/ COUPLE SAND STRIPS
577	586	SAND FINE TO MED COARSE W/ BROWN ROCK
586	595	BROWN SANDY CLAY W/ COUPLE SAND STRIPS
595	645	SAND FINE TO MED COARSE W/ BROWN ROCK
645	650	BLUE SHALE