KOLAR Document ID: 1464916

	WELL R	ECORD Correction		WWC-5 e in Well Use				ion of Wate rces App. N			Well	m [
				Fraction	<u>'</u>			on Numbe		Township Numb			ge Number
1 LOCATION OF WATER WELL: Fraction County: 4 1/4 1/4					Secti	T S R DE DW							
						Rura	1 Address	whe	ere well is located				
Business:						direction fr	om ne	arest town or	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:	Address:												
City:			State:	ZIP:									
3 LOCATE	E WELL												
WITH "2				IPLETED V			. It.						
SECTIO				Encountered: 3) ft			1			e:			
N				TER LEVEL:							AD 27		
				, measured on						unit make/model:	•		
NW	, - NE			measured on				(WAAS enabled? ☐ Yes ☐ No)					
		_			ter was ft.			☐ Land Survey ☐ Topographic Map					
w	E	after		s pumping								• • • • • • • • • • • • • • • • • • • •	
SW	SE	after		ater was									
		Estimated Y		pumping gpmgpm ft. and				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S								Source		Land Survey GPS Topographic Map			
1 m				in. to		ft.				Other		••••	
	VATER TO												
1. Domestic:				ter Supply: v						eld Water Supply: 16			
☐ Househ ☐ Lawn &				g: how many									
☐ Lawn &				echarge: well g: well ID						al: how many bores			
2. Irrigation				al Remediatio						Loop Horizon			
3. ☐ Feedlot			Air Sparge					b) Open Loop Surface Discharge Inj. of W					
4. Industri	al		Recovery	☐ In	ection			13. 🔲 Ot	ther ((specify):			
Was a chen	nical/bacteri	iological san	nple subm	itted to KD	HE? □	Yes \[\subseteq N	lo]	If yes, date	e sar	nple was submitte	d:		
	disinfected?							•		-			
										Glued Clamped			☐ Threaded
										in. to			
	t above land s				• • • • • • • • • • • • • • • • • • • •	lbs./	ft.	Wall thick	cness	or gauge No		•••	
☐ Steel	CREEN OR	PERFORA I less Steel	HON MA		□PVC			□ O41	(6	Specify)			
☐ Steel	_	anized Steel				used (open	hole)		ier (Specify)		• • • • • •	
	R PERFORA		NINGS A		rone t	used (open	noic)						
☐ Contin		☐ Mill Slot		auze Wrapped	l 🗆 To	orch Cut [] Dri	lled Holes		Other (Specify)			
_		☐ Key Punch						ne (Open H					
										ft., From			
GF	RAVEL PAC	K INTERV	ALS: Fron	1 ft.	to	ft., Fro	m	ft. to	0	ft., From	f	to .	ft.
													• • • • • • • • • • • • • • • • • • • •
	rce of possible		on• No	potential sou	rce of cor	i II. IO ntamination	 withi	It., From in 200 ft	••••	ft. to	It.		
Septic 7			Lateral Line		it Privy	itaiiiiiatioii		ivestock Pe	ens	☐ Insection	cide Stor	age	
☐ Sewer L			Cess Pool			agoon		uel Storage		☐ Aband			Vell
	ght Sewer Lin			□F			□ F	ertilizer Sto	orage	☐ Oil We	ell/Gas V	√ell	
Other (Specify)													
10 FROM	TO		ITHOLO(ce from w	FROM				tt. HO. LOG (cont.) or		ZINIC	ZINTEDWALC
10 FKOW	10		THOLOG	JIC LUG		FROM	1	10	LH	HO. LOG (cont.) of	FLUGG	JINC	INTERVALS
						** :							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	er Well Con	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was cor	nple	eted on (mo-day-y	ear)		
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1464916

Litholgy

From	То	LithologicLog
0	48	SILTY CALY
48	68	SILTY CLAY, F/M SAND
68	88	F/M/C SAND, SANDY CLAY
88	108	SANDY CLAY, F. SAND
108	128	F/M SAND, SAND TR OF V. F. SAND
128	148	CLAY, F/C GRAVEL
148	168	F/M/C SAND, SANDY CLAY
168	188	F/M/C SAND, SC, FINE SAND
188	208	F/M/C SAND, GRAVEL, CLAY
208	228	F/M/C SAND, GRAVEL, SC,F/M SAND
228	308	F/M/C SAND, GRAVEL
308	348	F/M/C SAND, GRAVEL, SC
348	368	F/M/C SAND, GRAVEL, M. SAND
368	388	F/M/C SAND, MED GRAVEL, CLAY
388	408	CLAY, SC, F/M/C SAND
408	428	F/M SAND, SANDY CLAY
428	448	SILTY CLAY, CLAY
448	468	SILTY CLAY
468	488	SILTY CLAY, OCHRE, ROCK
488	508	CLAY, ROCK

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1464916

Litholgy

From	То	LithologicLog
508		CLAY, SILTY CLAY, SS, SHALE