

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: 6 Elevation: Source:

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: Casing diameter: Casing height above land surface: TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE: SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS:

9 GROUT MATERIAL: Grout Intervals: Nearest source of possible contamination: Direction from well? Distance from well?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568576

Lithology

From	To	LithologicLog
0	2	TOPSOIL
2	37	SANDY CLAY
37	62	SANDY CLAY W/ MAG LAYERS
62	73	F/M SAND
73	84	SANDY CLAY
84	114	F/M SAND W/ CLAY LAYERS
114	117	MAG LAYERS W/ CLAY
117	130	SANDY CLAY W/ WHITE CLAY LAYERS
130	155	RED C. SAND, FINE/M GRAVEL
155	160	SANDY CLAY MAG LAYERS
160	228	F/M GRAVEL
228	235	SANDY CLAY
235	275	F/M/C SAND, FINE GRAVEL
275	290	MAG, CEM F/M/C SAND
290	295	F/M/C SAND
295	298	SANDY CLAY
298	321	F/M/C SAND, SANDY CLAY LENSES, FINE GRAVEL
321	338	SANDY CLAY, F/M SAND
338	358	F/M SAND, SANDY CLAY, CLAY TRACE
358	362	F/M/C SAND, CHATTERED MAG

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568576

Lithology

From	To	LithologicLog
362	412	F/M SAND, SANDY CLAY
412	420	F/M/C SAND
420	445	F/M SAND, SANDY CLAY
445	450	F/M/C SAND, FINE GRAVEL, BR ROCK
450	461	F/M/C SAND, SANDY CLAY
461	470	F/M SAND, SANDY CLAY
470	478	OCHER