

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

19,488

1 LOCATION OF WATER WELL: County: Haskell		Fraction 1/4 SE 1/4 SE 1/4 NE 1/4		Section Number 8	Township No. T 28 S	Range Number R 32 <input type="checkbox"/> E <input checked="" type="checkbox"/> W																																																																		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> 7 1/2 m. South #2 East of Finney/Haskell County Line on Hwy. 83				Global Positioning System (GPS) information: Latitude: 37.62786 (in decimal degrees) Longitude: 100.83511 (in decimal degrees) Elevation: 2960 Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input checked="" type="checkbox"/> NAD 27 Collection Method: <input checked="" type="checkbox"/> GPS unit (Make/Model: Magel/Triton 300) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m																																																																				
2 WATER WELL OWNER: Kenneth Cox RR#, Street Address, Box #: HCR 1 Box 34 City, State, ZIP Code : Sublette, KS 67877-0020																																																																								
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="width:100px; height:100px; text-align: center; margin: 10px auto;"> <tr><td>W</td><td></td><td></td><td></td><td>E</td></tr> <tr><td></td><td>-- NW --</td><td></td><td>-- NE --</td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>-- SW --</td><td></td><td>-- SE --</td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>S</td><td></td><td></td><td></td><td></td></tr> </table> S -----1 mile-----		W				E		-- NW --		-- NE --								-- SW --		-- SE --							S					4 DEPTH OF COMPLETED WELL 589 ft. Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL 382 ft. below land surface measured on mo/day/yr. 9/23/09 Pump test data: Well water was 522 ft. after 8 hours pumping 1000 gpm EST. YIELD.....gpm. Well water was.....ft. after..... hours pumping..... gpm Bore Hole Diameter 24 in. to 589 ft., and.....in. to.....ft. WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted..... Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																								
W				E																																																																				
	-- NW --		-- NE --																																																																					
	-- SW --		-- SE --																																																																					
S																																																																								
5 TYPE OF CASING USED: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> PVC <input type="checkbox"/> Other..... CASING JOINTS: <input type="checkbox"/> Glued <input type="checkbox"/> Clamped <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Threaded Casing diameter 16 in. to 589 ft., Diameter.....in. to.....ft., Diameter.....in. to.....ft. Casing height above land surface 12 in., Weight 42.09 lbs./ft., Wall thickness or gauge No. 250 TYPE OF SCREEN OR PERFORATION MATERIAL: <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> PVC <input type="checkbox"/> Other (Specify)..... <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <input checked="" type="checkbox"/> Continuous slot <input type="checkbox"/> Mill slot <input type="checkbox"/> Gauze wrapped <input type="checkbox"/> Torch cut <input type="checkbox"/> Drilled holes <input type="checkbox"/> None (open hole) <input type="checkbox"/> Louvered shutter <input type="checkbox"/> Key punched <input checked="" type="checkbox"/> Wire wrapped <input type="checkbox"/> Saw cut <input type="checkbox"/> Other (specify)..... SCREEN-PERFORATED INTERVALS: From 373 ft. to 503 ft., From 534 ft. to 584 ft. From.....ft. to.....ft., From.....ft. to.....ft. GRAVEL PACK INTERVALS: From 20 ft. to 430 ft., From 430 ft. to 510 ft. From 510 ft. to 589 ft., From.....ft. to.....ft.																																																																								
6 GROUT MATERIAL: <input type="checkbox"/> Neat cement <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Other..... Grout Intervals: From 0 ft. to 20 ft., From.....ft. to.....ft., From.....ft. to.....ft. What is the nearest source of possible contamination: <input type="checkbox"/> Septic tank <input type="checkbox"/> Lateral lines <input type="checkbox"/> Pit privy <input type="checkbox"/> Livestock pens <input type="checkbox"/> Insecticide storage <input type="checkbox"/> Other (specify below) <input type="checkbox"/> Sewer lines <input type="checkbox"/> Cesspool <input type="checkbox"/> Sewage lagoon <input type="checkbox"/> Fuel storage <input checked="" type="checkbox"/> Abandoned water well <input type="checkbox"/> Watertight sewer lines <input type="checkbox"/> Seepage pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer storage <input type="checkbox"/> Oil well/gas well Direction from well South & East Distance from well 31' South & 107' East																																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr><td>0'</td><td>2'</td><td>Surface</td><td>277'</td><td>317'</td><td>Fn. to Md. Crs., Small Gravel</td></tr> <tr><td>2'</td><td>24'</td><td>Brown Sandy Clay</td><td>317'</td><td>328'</td><td>Blue/Tan Clay</td></tr> <tr><td>24'</td><td>46'</td><td>Fine Sand</td><td>328'</td><td>375'</td><td>Blue Clay - Sticky</td></tr> <tr><td>46'</td><td>57'</td><td>Brown Sandy Clay</td><td>375'</td><td>454'</td><td>Sand Fn. to Md. Crs., Sml. Grvl.</td></tr> <tr><td>57'</td><td>78'</td><td>Fine Sand, some Clay Stringers</td><td>454'</td><td>480'</td><td>Sand Fn. to Md., some Clay Stringer</td></tr> <tr><td>78'</td><td>120'</td><td>Brown Sandy Clay, few Limerock</td><td>480'</td><td>502'</td><td>Fine Sand. manv Clay Stringers</td></tr> <tr><td>120'</td><td>174'</td><td>Sand Fn. to Md. Crs. Sml. Grvl., Cla</td><td>502'</td><td>535'</td><td>Brown Sandy Clay, Couple Sand Strip</td></tr> <tr><td>174'</td><td>184'</td><td>Brown Sandy Clay</td><td>535'</td><td>584'</td><td>Sand Fn. to Md. Crs., Brwn/Tan Rck.</td></tr> <tr><td>184'</td><td>273'</td><td>Sand Fn. to Md. Crs. Sml. Grvl.</td><td>584'</td><td>587'</td><td>Brown Clay</td></tr> <tr><td>273'</td><td>277'</td><td>Brown Sandy Clay, cemented Sand</td><td>587'</td><td>600'</td><td>Limerock</td></tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0'	2'	Surface	277'	317'	Fn. to Md. Crs., Small Gravel	2'	24'	Brown Sandy Clay	317'	328'	Blue/Tan Clay	24'	46'	Fine Sand	328'	375'	Blue Clay - Sticky	46'	57'	Brown Sandy Clay	375'	454'	Sand Fn. to Md. Crs., Sml. Grvl.	57'	78'	Fine Sand, some Clay Stringers	454'	480'	Sand Fn. to Md., some Clay Stringer	78'	120'	Brown Sandy Clay, few Limerock	480'	502'	Fine Sand. manv Clay Stringers	120'	174'	Sand Fn. to Md. Crs. Sml. Grvl., Cla	502'	535'	Brown Sandy Clay, Couple Sand Strip	174'	184'	Brown Sandy Clay	535'	584'	Sand Fn. to Md. Crs., Brwn/Tan Rck.	184'	273'	Sand Fn. to Md. Crs. Sml. Grvl.	584'	587'	Brown Clay	273'	277'	Brown Sandy Clay, cemented Sand	587'	600'	Limerock
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																			
0'	2'	Surface	277'	317'	Fn. to Md. Crs., Small Gravel																																																																			
2'	24'	Brown Sandy Clay	317'	328'	Blue/Tan Clay																																																																			
24'	46'	Fine Sand	328'	375'	Blue Clay - Sticky																																																																			
46'	57'	Brown Sandy Clay	375'	454'	Sand Fn. to Md. Crs., Sml. Grvl.																																																																			
57'	78'	Fine Sand, some Clay Stringers	454'	480'	Sand Fn. to Md., some Clay Stringer																																																																			
78'	120'	Brown Sandy Clay, few Limerock	480'	502'	Fine Sand. manv Clay Stringers																																																																			
120'	174'	Sand Fn. to Md. Crs. Sml. Grvl., Cla	502'	535'	Brown Sandy Clay, Couple Sand Strip																																																																			
174'	184'	Brown Sandy Clay	535'	584'	Sand Fn. to Md. Crs., Brwn/Tan Rck.																																																																			
184'	273'	Sand Fn. to Md. Crs. Sml. Grvl.	584'	587'	Brown Clay																																																																			
273'	277'	Brown Sandy Clay, cemented Sand	587'	600'	Limerock																																																																			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) 9/18/09 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/year) 10/9/09 under the business name of Henkle Drilling & Supply Co. Inc. by (signature) <i>[Signature]</i>																																																																								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .																																																																								

TOPO! map printed on 10/09/09 from "Untitled.tpo"

