

		RECORD		WWC-5		4320		sion of Wate			XX7 11 T	D
Original Record Correction Change in Well Use				Resources App. No. Well ID Well ID								
1LOCATION OF WATER WELL:FractionCounty:1/41/4				/4 1/4	Section NumberTownship NumberRange Number $\frac{1}{4}$ TSREW							
county.						reet or Rural Address where well is located (if unknown, distance and						
Business:		Last Name.		1 1150.			irection from nearest town or intersection): If at owner's address, check here:					
Address:												,
Address:												
City: 3 LOCAT			State:	ZIP:								
WITH "				IPLETED				5 Latit	ude:			(decimal degrees)
SECTIO				Encountered:			—					
N	N			3) f		-			atum: 🗌 WGS 84 🛛 NAD 83 🗌 NAD 27			
		WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:				
NW	NE									(unit make/model:) (WAAS enabled? □ Yes □ No)		
	NE			vater was				□ Land Survey □ Topographic Map				
w X	E	-		s pumping						e Mapper:		
SW	SE			vater was								
3w				s pumping		gpm		6 Elevation:ft. Ground Level TOC				
	s s	Estimated Y		gpm in. to		ft and		Source: Land Survey GPS Topographic Ma				
1 n	-	Dore Hole I		in. to						Other		
7 WELL	WATER T	O BE USED										
1. Domestic:				ter Supply: v	well ID			10. 🗖 O	il Fie	eld Water Supply: le	ase	
☐ Housel	hold			ig: how many								
Lawn d				echarge: wel								
				g: well ID						al: how many bores		
2. ☐ Irrigati 3. ☐ Feedlo			Air Sparge			D Extraction	a) Closed Loop 🗌 Horizontal 🗌 Vertical					
4. Industr			Recovery		jection	Extraction	ktraction b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
							Ne			nple was submitted		
		? \Box Yes \Box		IIIIeu to KL			NO	II yes, dat	e sai	inple was sublinitied	u:	
				C D Other		С	ASIN	G IOINTS	<u>z</u> . □	Glued Clamped	□ We	Ided 🗖 Threaded
										in. to		
										or gauge No		
		R PERFORA								0 0		
□ Steel		inless Steel	Fiber	U U	DPVC				her (S	Specify)		
Brass		vanized Steel	Conc		□ None	used (oper	1 hole)					
		RATION OPE			1 🗆 7				_	0.1 (8		
	nuous Slot	☐ Mill Slot ☐ Key Punc		auze Wrappe						Other (Specify)	•••••	
										ft., From	ft	to ft
										ft., From		
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Nearest sou	rce of possil	ole contaminati	on:									
			Lateral Line		Pit Privy			livestock Pe		Insectic		
Sewer]			Cess Pool		Sewage L	agoon		Fuel Storage		Abando		
	ight Sewer L	ines 🔲	Seepage Pit		eedyard			Fertilizer Sto	orage	Oil Wel	II/Gas w	ell
										ft.		
10 FROM	ТО		ITHOLO		•• •••	FRO		TO		HO. LOG (cont.) or		JING INTERVALS
										. ,		
						Notes	5:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No												
under the business name of												
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-				water, Geology	Section, 1	1000 SW Jao	ckson S	t., Suite 420,	, Tope	eka, Kansas 66612-136		none 785-296-3565. KSA 82a-1212
visit us at h	p.//www.Kdf	eks.gov/waterwel	n/muex.ntml									NDA 020-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1264320

Litholgy

From	То	LithologicLog
0	59	clay, brown sandy
59	169	and brown fine to coarse gravel
169	176	clay, brown sandy
176	210	sand brown fine to coarse gravel
210	230	clay, brown, sandy, sticky
230	331	gray clay
331	370	sand, gray to brown, fine to coarse
370	385	sand brown fine to coarse w/ brown gravel
385	387	clay gray to brown
387	410	sand, brown fine to coarse with fine to coarse brown gravel
410	508	clay brown to gray, some sandy gray clay
508	513	gravel brown, fine to med w/ some brown gray clay
513	515	clay brown to gray
515	517	cemented zone - very hard
517	520	gravel brown fine to med with sand
520	522	fine to med
522	525	gravel, fine to med with med to coarse sand
525	527	cemented gravel

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1264320	

Litholgy

From	То	LithologicLog
527		gravel brown with med to coarse sand
586	605	shale, gray oily