KOLAR Document ID: 1426813

WATER V		ECORD Correction		WWC-5	e e			sion of Wate arces App. N			] Well II	<sup>D</sup> [	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction					ction Number   Township Number   Range Numb			e Number					
County: 14 14 14				4 1/4	Beet	T S R DE W							
2 WELL OWNER: Last Name: First: Street or Rural Address w							whe	ere well is located		wn, o			
Business:						direction 1	from ne	earest town or	r inte	rsection): If at owne	r's addres	ss, cl	neck here:
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
WITH "X"		4 DEPTH											
SECTION	BOX:	Depth(s) Gr								e:			
N				3) TER LEVEI						WGS 84 □ NA		J NA	AD 27
				, measured o						Latitude/Longitude unit make/model:	•		,
NW	- NE			measured on (mo-day-yr)						WAAS enabled?			
	1	_		vater was ft.				□L		Survey  Topogr			,
w X	Е	after		s pumpinggpm				☐ Online Mapper:					
SW   -	- SE	aftar		ater was									
		Estimated Y		pumpinggpm				6 Eleva	6 Elevation:ft. ☐ Ground Level ☐ TOC				Level 🔲 TOC
S		Bore Hole I			0	ft. and		Source: Land Survey GF			GPS 🔲	Top	ographic Map
1 mil	le			in. t						Other		· • • • •	
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 1			
Househo				g: how man									•••
☐ Lawn &			•	•			Cased Uncased Geotechnical 12. Geothermal: how many bores?						
☐ Livestocl 2. ☐ Irrigation				g: well ID									
3. ☐ Feedlot	1		] Air Sparge		Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industria	1		Recovery		njection					(specify):			
Was a chemi	ical/bacteri	ological san	nple subm	itted to Kl	DHE?	Yes $\square$	No	If yes, date	e sar	nple was submitte	d:		
Water well di					_			<b>3</b>		1			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		C	ASIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ded	☐ Threaded
										in. to			
Casing height						lbs	./ft.	Wall thick	kness	s or gauge No			
TYPE OF SC										g			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	used (open	, hala)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OR					☐ None	useu (open	i iioie)						
☐ Continue		☐ Mill Slot		auze Wrappe	ed $\Box$ T	orch Cut	□ Dr	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						one (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı fı	t. to	ft., Fr	om	ft. to	o	ft., From	ft.	to.	ft.
GRA	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.									ft.			
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From													
				. ft., From	uras of so	. It. to	n with	ft., From	••••	ft. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
	□ Septic Tank       □ Lateral Lines       □ Pit Privy       □ Livestock Pens       □ Insecticide Storage         □ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well								/ell				
☐ Watertight	ht Sewer Line	es 🗆 S	Seepage Pit		Feedyard			Fertilizer Sto					
Other (Sp	pecify)												
					nce from w					ft		T) 16	. DIEEDII I G
10 FROM	TO	L	ITHOLOG	JIC LOG		FRO	IVI	TO	LH	HO. LOG (cont.) or	PLUGG	ING	INTERVALS
							$\dashv$						
						Notes	<b>::</b>						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water	r Well Cont	tractor's Lice	ense No		. This W	ater Well	Reco	ord was con	mple	eted on (mo-day-y	ear)		
under the bus	siness name	of	****	TT 1 0**				1 5 21		or each constructed we		<u></u>	
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER Vater, Geology	c and retain v Section 1	one for you 000 SW Iac	r recor	as. Fee of \$5 st., Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-136	и. 57. Teleph	ione '	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="https://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>												

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	FORREST & EDNA COX
Doc ID	1426813

## Litholgy

From	То	LithologicLog
0	2	TOPSOIL
2	38	SILTY CLAY
38	42	SILTY CLAY, F. SAND & SILT
42	58	F. SAND & SILT
58	80	SILTY CLAY, F. SAND & SILT
80	89	SILTY CLAY, F. SAND & SILT
89	100	SILTY SANDY CLAY
100	111	SILTY SANDY CLAY
111	180	F/M/C SAND, TR F. GRAVEL
180	237	F/M/C SAND & F. GRAVEL
237	238	LIMESTONE
238	240	F/M SAND
240	241	LIMESTONE
241	262	F/M SAND
262	284	SANDY SILTY CLAY, CLAY, F. SAND & SILT
284	356	CLAY & BLUE CLAY
356	377	CLAY,F/M SAND & TR F. GRAVEL
377	428	F/M/C SAND & F. GRAVEL/TR SC
428	440	F/M/C SAND & F. GRAVEL
440	465	F/M/C SAND
465	472	F/M SAND & SC
472	484	SILTY CLAY
	•	•

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	FORREST & EDNA COX
Doc ID	1426813

## Litholgy

From	То	LithologicLog
484	510	SILTY CLAY & F/M SAND
510	540	F/M SAND & SILTY CLAY
540	548	F/M SAND
548	555	SILT & F/M SAND
555	571	F/M/TR C SAND
571	603	F/M SAND & BROWN ROCK
603	617	F/M SAND & SILT
617	628	F/M SAND
628	629	CEM. SAND
629	637	F/M SAND & BROWN ROCK & SHALE
637	643	SHALE & F/M SAND
643	644	LIMESTONE
644	659	SHALE & SOME F/M SAND