KOLAR Document ID: 1481819

	WELL R			WWC-5		vision of Wat				
		Correction		ge in Well Use		ources App.			Well ID	
		ATER WEL	L:	Fraction		ction Numb	er	Township Numb		ige Number
County				1/4 1/4 1/4			1	T S	R	
2 WELL Business:	OWNER: L	ast Name:		First:				re well is located		
Address: direction from n						nearest town c	earest town or intersection): If at owner's address, check here:			
Address:										
City:		1	State:	ZIP:						
3 LOCAT		4 DEPTH	OF CON	APLETED WELL: .	f	t. 5 Latit	nde.			(decimal degrees)
WITH "				Encountered: 1)						
	SECTION BOX: N $(2) \dots \dots$				Dry Well	Dry Well Datum: WGS 84 NAD 83 NAD 27				
	· · · · · · · · · · · · · · · · · · ·			TER LEVEL:		Source for Latitude, Longitude.				
				e, measured on (mo-day- , measured on (mo-day-						
NWX	NE			vater was f				(0)		
w	Е	-		s pumping						
			Well w	vater was f	ft.			, mappen		
SW	SE			s pumping	gpm					
		Estimated Y			<u>6</u> 1	6 Elevation:ft. Ground Level TOC Source: Land Survey GPS Topographic Map				
1 r	S nilel	Bore Hole L		in. to		<u>50010</u>		Other		
		BE USED A		III. to	II.					
1. Domestic				ater Supply: well ID		10. 🗆 0)il Fie	ld Water Supply: le	ase	
House				ig: how many wells?				well ID		
🗌 Lawn				echarge: well ID						
Livesto				g: well ID				al: how many bores		
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont		
3. ☐ Feedlo 4. ☐ Industr] Air Sparge] Recovery		Extraction		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):			
				-						
		10logical san □ Yes □		nitted to KDHE?	Yes 🗌 No	If yes, dat	te san	nple was submitte	d:	
				C 🗌 Other	CASI	NG IOINTS	<u>с. п</u>	Clued Clamped	Walda	d 🗖 Threaded
				, Diameter						
		surface						or gauge No		
		PERFORAT						0 0		
□ Steel	🗌 Stair	nless Steel		DPVC			her (S	Specify)		
Brass		anized Steel			ised (open hol	e)				
		ATION OPE					_			
	nuous Slot ered Shutter	☐ Mill Slot ☐ Key Puncl				Orilled Holes None (Open I		Other (Specify)	•••••	
				n ft. to				ft From	ft to	ft
				n ft. to				,		
				Cement grout Be						
Grout Interv	als: From	ft. to		ft., From	ft. to	ft., From				
		e contaminati		potential source of con						
			Lateral Line			Livestock P			ide Storage	
Sewer	Lines ight Sewer Lir		Cess Pool	☐ Sewage La ☐ Feedyard		Fuel Storage			oned Water ll/Gas Well	
						rennizer St	orage			
Direction from well? ft.										
10 FROM	ТО	Ι	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS
	<u> </u>									
					Notes:	L	1			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my j	urisdiction at	nd was compl	leted on (n	no-day-year) 	ter Woll Ba	this record	1s tru	ted on (mo day w	y knowled	ge and belief.
	under the business name of									
-					000 SW Jackson	n St., Suite 420	, Tope	ka, Kansas 66612-136		
Visit us at h	<u>ittp://www.kdhe</u>	ks.gov/waterwel	<u>l/index.html</u>						KS	SA 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Kenneth Cox
Doc ID	1481819

Lithology

From	То	LithologicLog
0	2	top soil
2	28	brown sandy clay
28	49	fine sand
49	60	brown sandy clay
60	76	sand fine to med
76	120	brown sandy clay
120	157	sand fine to med coarse few med gravel
157	167	brown clay
167	238	sand fine to med coarse small gravel
238	243	brown clay
243	261	sand fine to med coarse small gravel
261	279	brown clay
279	324	blue clay
324	357	sand fine to med some coarse w/ some clay stringers
357	462	sand fine to med coarse few small gravel
462	480	fine sand w/ some clay stringers
480	501	sand fine to med w/ some clay ledges
501	520	fine sand w/ many clay stringers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Kenneth Cox
Doc ID	1481819

Lithology

From	То	LithologicLog
520	540	brown sandy clay w/ few sand strips
540	554	fine sand
554	575	sand fine to med coarse w/ brown & tan rock
575	599	soapstone
599	630	shale
630	653	soapstone & sandstone
653	778	shale
778	780	sandstone