## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

11 ( 11

Location listed as:	County: Maskel/ Location changed to:				
Section-Township-Range: 7-285-33 W	7-285-33 W				
Fraction ( 1/4 1/4 1/4): NE NE SE	W2 W2 W2 SE				
Other changes: Initial statements:					
Changed to:					
Comments: Water Right (WIMAS) footages for point of diversion (i.e., well site) are 1300 ft. N. \$ 2600 ft. W. from SE corner.					
verification method: Phone call to well owner, "WIMAS" record on Kas					
website, and mapping tool \$					
website.	initials: 10/6/2008				

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	WATER WELL REC	ORD Form WW	C-5 KSA 8	2a-1212	
1 LOCATION OF WATER WELL:	Fraction	i	Section Numb		Range Number
County: Haskell		4 SE 1/4	7	т 28 s	R 33 EW)
Distance and direction from nearest town					$\mathbf{U}_{\parallel}$
From Cattle Empire - 2	West, 1/2 North	<u> 1/8 East ir</u>	<u>ito Field</u>		
2 WATER WELL OWNER: Jack	k Kelman				
RR#, St. Address, Box # : Runa	al Route			Board of Agricultur	e, Division of Water Resources
City, State, ZIP Code : Sub.]	Lette, KS 67877			Application Numbe	<u>r:</u>
3 LOCATE WELL'S LOCATION WITH 4					
					. 3
I I W	ELL'S STATIC WATER LEV	EL . 420! f	below land	surface measured on mo/day	/yr
					pumping gpm
NW  NE    Es					pumping gpm
	ore Hole Diameter 36"	in. to 692	) † 	and 30"	.in. to762!ft.
W	ELL WATER TXXEE USED		ater supply		11 Injection well
-   '   '	1 Domestic WaS3 Feed			9 Dewatering	· 1
SW SE	2 Irrigation 4 Indus			10 Monitoring well	
					es, mo/day/yr sample was sub-
T	itted			Vater Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:	5 Wrought i	ron 8 Cor	crete tile		ued Clamped
1 Steel 3 RMP (SR)	6 Asbestos		er (specify be		elded
2 PVC 4 ABS	7 Fiberglass				readed
Blank casing diameter 16 in.	to 762' ft Dia	in	to	ft Dia	in to
Casing height above land surface. 3.1					I
TYPE OF SCREEN OR PERFORATION N	-		PVC	10 Asbestos-ce	
1 Steel 3 Stainless st			RMP (SR)		ify)
2 Brass 4 Galvanized	3		ABS	12 None used	
SCREEN OR PERFORATION OPENINGS		5 Gauzed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill s		6 Wire wrapped	•	9 Drilled holes	(i Notice (open note)
		7 Torch cut			
SCREEN-PERFORATED INTERVALS:	punched		4 5		t. to
SCREEN-PERFORATED INTERVALS.					t. to
GRAVEL PACK INTERVALS:					
GRAVEL PACK INTERVALS:			-		t. toft.
C CROLIT MATERIAL . 1 Next com	From	ft. to	ft., F		t. to ft.
GROUT MATERIAL: 1 Neat cent Grout Intervals: From 420	ient 2 Cement gr	13'	nionite		ft. to
Minet in the proceed course of possible on	nent 2 Cement gro to 417 ft., Fro ntamination:		. ۲۰۰۰ م		1
•					Abandoned water well
1 Septic tank 4 Lateral I				•	Oil well/Gas well
2 Sewer lines 5 Cess po		wage lagoon		•	Other (specify below)
3 Watertight sewer lines 6 Seepage	еріт 9 гес	edyard		ecticide storage	
Direction from well? FROM TO	LITHOLOGIC LOG	FROM		nany feet?	3 INTERVALS
PHOW! 10	LITHOLOGIC LOG				A INTERVALS
				1 Chlaminated Cand	8 Cmayol
		587	1	Chlorinated Sand	& Gravel
		420	417'	Bentonite Plug	
		420 417	417'	Bentonite Plug Compacted Inorga	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417	417' 13' 13'	Bentonite Plug Compacted Inorga	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
		420 417 13	417' 13' 13'	Bentonite Plug Compacted Inorga Bentonite Plug	
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: This wat	420 417 13 3	417' 13' 3' 0'	Bentonite Plug Compacted Inorga Bentonite Plug Top Soil	nic Clays
		420 417 13 3	417' 13' 3' 0'	Bentonite Plug Compacted Inorga Bentonite Plug Top Soil  constructed, o (3) plugged	nic Clays
completed on (mo/day/year)March.	28 <b>,</b> 1990	420 417 13 3	417' 13' 3' 0' structed, (2) re and this re	Bentonite Plug Compacted Inorga Bentonite Plug Top Soil  constructed, o (3) plugged cord is true to the best of my	under my jurisdiction and was knowledge and belief. Kansas
completed on (mo/day/year)March.	28 <b>,</b> 1990 This	420 417 13 3	tructed, (2) rewas complete	Bentonite Plug Compacted Inorga Bentonite Plug Top Soil  constructed, o (3) plugged cord is true to the best of my	under my jurisdiction and was knowledge and belief. Kansas
completed on (mo/day/year)March Water Well Contractor's License No	28, 1990	er well was (1) cons Water Well Record pair, Inc.	tructed, (2) rewas complete by (sig	Bentonite Plug Compacted Inorga Bentonite Plug Top Soil  constructed, o (3) plugged cord is true to the best of my d on (mo/day/yr) . April nature)	under my jurisdiction and was knowledge and belief. Kansas 30, 1990.