


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Haskell	Fraction NW 1/4 SW 1/4 SW 1/4	Section number 8	Township number T 28 S R 33	Range number EW	
2. Distance and direction from nearest town or city: Approximately 8 1/4 mi NE of Ryus, Kansas. Street address of well location if in city:			3. Owner of well: John T. Farms R.R. or street: C/O Mr. Forrest Cox City, state, zip code: Sublette, Kansas 67877				
4. Locate with "X" in section below: 			Sketch map:		6. Bore hole dia. 26 in. Completion date 1/9/79 Well depth 590 ft.		
5. Type and color of material			From		To		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
							8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
							9. Casing: Material Steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 42.05 lb./ft. Dia. 16 in. to 590 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. .250
							10. Screen: Manufacturer's name W. A. Brown Type Louvered Dia. 16 " Slot/gauze .100 Length 130 ' Set between 310 ft. and 340 ft. 490 ft. and 590 ft. Gravel pack? Yes Size range of material #1 Coarse
							11. Static water level: 316 ft. below land surface Date 1/16/79 mo./day/yr.
(Use a second sheet if needed)							12. Pumping level below land surfaces: 369 ft. after <input type="checkbox"/> hrs. pumping 1357 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1,400 g.p.m.
							13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>
							14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade
							15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
							16. Nearest source of possible contamination: None ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type Observed Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
18. Elevation: Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drilling & Sply 145 Business name Box 639, Garden City, KS License No. 1/17/79 Address Box 639, Garden City, KS Signed Barry J. Reichert Date 1/17/79 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

DRILLERS TEST LOG

CUSTOMERS NAME Forrest Cox DATE 12/19/77
 STREET ADDRESS _____ TEST # 1 E. LOG Yes
 CITY & STATE Sublette, Kansas DRILLER Baxter
 COUNTY Haskell QUARTER SW SECTION 8 TOWNSHIP 28 RANGE 33
 LOCATION 1.100' North of the SW corner. Well Location

					Bore Test	
%	FOOTAGE			Static Water Level _____		
	From	Pay	To	Proposed Well Depth _____		
	0		3	Top Soil		
	3		65	Brown sandy clay and fine sand.		
	65		180	Sand fine to med coarse with small gravel. Very few clay sts. Used alot of water.		
	180		200	Brown clay, linerock and sand sts.		
	200		260	Sand fine to med coarse, small gravel and small clay sts. Used water.		
	260		297	Brown clay, linerock with very few sand sts, Clay sticky.		
40	297	30	317	Sand fine to med coarse with a few small gravel. Brown sandy clay. Used alittle water.		
55	317	13	340	Brown clay and sand.		
65	340	20	360	Sand fine to med coarse with small gravel.		
	360		394	Brown clay and linerock.		
65	394	46	440	sand fine to med coarse, small gravel. Some clay and linerock. Drilled firm - used water.		
	440		460	Brown clay - sticky.		
	460		494	Caliche, brown clay and some gyrock.		
40	494	6	500	Brown clay, brown rock, tan rock with sts of red shale.		
	500		520	Red shale and soapstone.		
	520	25	545	Red shale and fine sand. Used alittle water.		
	545		560	Soapstone.		
Fair	560	26	586	Light blue shale and sand stone. Used water. Drilled firm - used pull down.		
	586		600	Shale and very hard limestone sts.		
		166				

GARDEN CITY, KS
 Phone 276-3278

HENKLE DRILLING & SUPPLY CO., INC.
 IRRIGATION HEADQUARTERS

SUBLETTE, KS
 Phone 675-4311

TEST HOLES * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS