USE TYPEWRITER OR BALL PO!NT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County Fraction		Section number		Township number	Range number			
1. Location of well:	Haskell	SE 1/4 SW 1/4 SE	1/4	9		т 28 s	r 33	E,W	
,				Owner of well:		John T Farms			
Sublette on Hiway 83, Street address of well location if in city: 3½ west.  R.R. or City, s				street: tate, zip code:		Satanta, Ks. 67870			
4. Locate with "X" in section below:  Sketch map:						6. Bore hole dia 12 3/1h.  Well depth 40 ft.	Completion date 10-	<u>16</u> –76	
W/	NE					7 Cable tool <u>X</u> Rotary Hollow rod Jetted 8. Use: <u>X</u> Domestic Pu	BoredReverse		
- WS	E							L/#12	
<u> </u>						RMP PVC	_!WeightIb	s./ft.	
5. Type and color of material				From	То	Dia. 8 in. to 4.41ft. depth Wall Thickness; inches or Dia. in. to ft. depth gage No. 250			
						Type	No Screen		
						Slot/gauze	Length ft. and nd Plain:0-390	own	
						11. Static water level:  207 ft. below land surf			
						12. Pumping level below land	surfaces: $N/A$	I	
						ft. after hrs. pumping g.p.mft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.			
	- A ANTONIA WAR					13. Water sample submitted:  X Yes No [	mo./do		
						14. Well head completion:  X Pitless adapter	Inches above gra	de	
	· · · · · · · · · · · · · · · · · · ·					15. Well grouted? YES With: Neat cement Depth: From ft. to _	3.0	crete )	
						16. Nearest source of possible ft. 400 Direction <u>C6</u> Well disinfected upon comple	<u>ist                                    </u>		
	·	- N N N N N N N N.				17. Pump: Manufacturer's name Goul	Not installed		
						Model number H6611T32 Length of drop pipe 378	_ HP <u>15</u> Volts _	p.m. (8)	
						Type: X Submersible	Turbine		
	(Use a second s	neet if needed)				Jet Centrifugal	Reciprocat	Sec.	
18. Elevation:	19. Remarks:					20. Water well contractor's c This well was drilled under my		<b>□</b>	
Topography:	And the second s					is true to the best of my know Minter-Wilson Di	ledge and belief.	<u>20</u> 85∦	
Hill Slope Upland	pe e				4	Business name Address BOX A Garto	len City, Ks.		
Valley	us and pink copies to the Department				·	Authorized repr	asentative Date	y K	

## Professionals

## MINTER-WILSON DRILLING CO. Complete Installation and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

JOHN T FAX II HASKELL COUNTY 9-15-76

Location: 24 miles south of Garden City on 83 Niway 3 miles west throw yard by fonce

Static Water Level- 237'

## Tëst -

0	3	Top soil
3	33	Brown clay
33	67	drown sandy clay
67	246	line to med. sand and gravel
246	255	Brown steaky clay
255	276	Brown and blue clay
<b>27</b> 6	303	Slue clay
303	321	Fine to med. sand and gravel Slue clay 10%
321	353	ding to med. sand and gravel stks. of blue
		clay
353	443	Fine to med. sand and gravel
440	455	Fine to med. sand and gravel stks. of blue &
		brown clay 19% clay
455	470	Slue à brown clay

Ta 34601