

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

| | | | | | | |
|---|-------------------|---|--|---|-----------------------|------------------------|
| 1 Location of well: | County Haskell | Township name | Fraction NE $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$ | Section number 12 | Town number T 28 S | Range number R 33 W |
| Distance and direction from nearest town or city: 13 N. & 1 $\frac{1}{2}$ W. of Sublette Street address of well location if in city: | | | | 3 Owner of well: Forrest Cox Address: Sublette, Kansas 67877 | | |
| Locate with "X" in section below: N W E S 1 Mile | | Sketch map: Well drilled 3/5/75 | | 4 Well depth: 580 ft. Date of completion 6-4-75 Well diameter 26 in. | | |
| 2 Type and color of material From To See attachment | | 5 <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | | | |
| | | 6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/> | | | | |
| | | 7 Casing: Material Steel Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 16 in. Weight 36 lbs./ft. 16 in. to 580 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | |
| | | 8 Screen: Manufacturer Johnson Type Continuous Dia. 16" Slot/gauze 150 Length 20' Set between 307 ft. and 327 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/4 to 1/8 | | | | |
| | | 9 Static water level: 245 ft. below land surface Date 3-7-75 | | | | |
| | | 10 Pumping level below land surfaces: 275 ft. after hrs. pumping 1800 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m. | | | | |
| | | 11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date | | | | |
| | | 12 Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade | | | | |
| | | 13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft. | | | | |
| | | 14 Nearest source of possible contamination: None Observed ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | |
| (use a second sheet if needed) | | 15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Johnston Model number 1400 HP Volts Length of drop pipe 345 ft. capacity 1800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | | | |
| | | 16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope Flat <input type="checkbox"/> Upland <input type="checkbox"/> Valley | | | | |
| 17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drilling & Supply 145 Business name License No. Address Box 639 Garden City, Ks Signed [Signature] Date 6-4-75 Authorized representative | | | | | | |

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5

DRILLERS TEST LOG

CUSTOMERS NAME Forrest Cox DATE 11-26-74
 STREET ADDRESS _____ TEST # 5 No E. Log
 CITY & STATE Sublette, Kansas DRILLER Henderhan
 COUNTY Haskell QUARTER SW SECTION 12 TOWNSHIP 28 RANGE 33

LOCATION 200 Ft. South of Test # 3

WELL LOCATION

| % | DRILLED from | FOOTAGE Pay | to | Description of Strata | Static Water Level Proposed Well Depth |
|----|-----------------|----------------|-----|---|---|
| | 0 | | 4 | Top soil | |
| | 4 | | 35 | Brown clay, caliche, limerock ledges and sand st. | |
| | 35 | | 69 | Brown clay | |
| | 69 | | 140 | Sand fine med. coarse, small med, large gravel. Brown gravel. Loose, rough in places.Used water. Some clay st. | |
| | 155 | | 207 | Sand fine med. coarse, small med, gravel and brown gravel. Loose. Rough in places.Used water. Some cemented ledges, few clay st. | |
| | 207 | | 217 | Brown clay, few limerock ledges and sand st. | |
| | 217 | | 224 | Brown sandy clay and sand st. | |
| | 224 | | 240 | Sand fine med. coarse, small med. gravel. Brown gravel. Loose and rough in places.Used water. Some hard limerock ledges, few clay st. | |
| 80 | 240 | 40 | 280 | Sand fine med. coarse, small med. large gravel. Brown gravel. Loose and rough in places.Used water. Some hard limerock ledges. | |
| 75 | 280 | 40 | 320 | Sand fine med. coarse, small med. large gravel. Brown gravel. Loose and rough in places.Used water. Hard limerock ledges. | |
| 80 | 320 | 91 | 411 | Sand fine med. coarse, small med. large gravel. Brown gravel. Loose and rough in places. Used water. | |
| 60 | 411 | 9 | 420 | Sand fine med. coarse, small med. large gravel. Brown gravel. Very hard limestone ledges, cemented st. Loose in few places. Used water. | |
| 65 | 420 | 7 | 427 | Cemented sand and sand fine med. coarse, small med. gravel. Brown gravel. Loose in places. | |
| | 427 | | 440 | Brown sandy clay and loose sand st. Limerock ledges. | |
| 70 | 440 | 16 | 456 | Sand fine med. coarse, small med. gravel. Loose. Rough in places. Used water. Limerock ledges, few clay st. | |
| 55 | 456 | 8 | 464 | Sand fine med. coarse, clay st. Loose in places. | |
| 45 | 464 | 17 | 481 | Sand fine to small sticky clay st. Mixed limerock ledges. | |
| | 481 | | 491 | Brown sandy clay, drills ticky, fine sand st. | |
| | 491 | | 497 | Brown clay, sticky. | |
| 45 | 497 | 10 | 507 | Sand fine to small, some clay st. Loose in places. | |

Used
water.

GARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS
 PHONE 276-3278 IRRIGATION HEADQUARTERS PHONE 675-4311

TEST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS***** (cont'd)

DRILLERS TEST LOG

| | | | | |
|----------------|------------------|------------|------------|----------------------|
| CUSTOMERS NAME | Forrest Cox | | DATE | 11-26-74 |
| STREET ADDRESS | | | TEST # | # 5 cont'd. |
| CITY & STATE | Sublette, Kansas | | DRILLER | Henderhan |
| COUNTY | Haskell | QUARTER SW | SECTION 12 | TOWNSHIP 28 RANGE 33 |

LOCATION _____

[illegible]

GARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS
PHONE 276-3278 IRRIGATION HEADQUARTERS PHONE 675-4311
BEST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS*****