DRILLERS TEST LOG

CIISTO MERS. NAME.	Darcy Kells & Dale Currey	DATE
STREET ADDRESS		TEST # 1 E. LOG800!
CTMV C. SMAME	Satanta, kansas	DRILLER Mai
COUNTY Haskell	QUARTER NE SECTION 18	rownship 28 Range 33
LOCATION	150' East of old well	

	0	Pay			. 1
			TO	DESCRIPTION OF STRATA Proposed Well Depth.	
,	0.1		2	Top Soil	
-	2		69	Brown sandy clay and fine sand stks.	
	69		100	Sand - fine to med coarse small gravel	
	100	·	180	Sand - fine to med coarse small to large gravel, rough	in plaq
	180		271	Uses water few clay stks. Sand - fine to med coarse small and few med gravel, few	clay,
				stks. uses little water.	
	271		277	Brown clay - sticky	,
	277		308	Sand - fine to med coarse small gravel	
	308		313	Brown & yellow clay sticky	
	313	,	328	Blue and gray clay sticky	
	328		334.	Brown & yellow clay	
50	334	11	345	Sand - fine to med coarse med small & few small gravel.	clay
		-		stringers	atles
ήŪ	345	12··· 28···	357	Sand - fine to med coarse small gravel & limerock clay Sand - fine to med coarse small to med gravel & limeroc	ok ok
65.	357		385		
30	385	4	389	Sand - fine to med coarse small gravel cemented & limer	
	389	1277	.406	Brown clay & limerock sticky in places, very few small	
55. 45	406	17	423	Sand - fine to med coarse med small & few small gravel Sand - fine to med coarse, few small gravel & sandy cla	av stks
<u> </u>	423	1	433	Brown clay	4, 50.12
50	433	14	447	Sand - fine to med coarse few med small gravel	6.4
35	447	10	45.7	Sand - fine to med few clay stringers	•
	457	102		Brown clay sticky	
	480		488	Brown & brown sandy clay	Alemanda and a second
	488	-	504	Hard brown clay - sluffs, few white rock ledges	
25	504	19	523	Sand - fine & small sandy clay & brown clay stringers	. few
	\		1	sandstone & brown rock	
15	523	17	540	Brown & red sandstone & soapstone, Iew brown & red roc	k, rew
				shale stks & hard brown clay stks	
	540	1	556		: It
V.	556		560	Blue shale	
30	560				
	Jack of				
-					विक्
-				- And Andrews and	and the second second

DRILLERS TEST LOG

CUSTOMERS NAME	Darcy Kells &	Dale Currey		DATE	7-2	7-82	G 1	
STREET ADDRESS				TEST	#	contr. Lo)G	į
TIME C COLAMB	Satanta, Kans	as:		DRIL	LER_	Mai		1
COUNTY Haskell	QUARTER NE	SECTION_	18 TOW	SHIP.	28 ·	_RANGE.	33 .	
				•			19907	
LOCATION150'	East of old wel	1		·				

6	Tr.C	OTAG	E	•	Static Water Level				
•	From	4.	t t	DESCRIPTION OF STRATA					
	575		660	Blue shale few limestone ledge					
	660		688	Hard blue shale & hard soapstone					
25	688	22	710	Gray sandstone few blue shale stks					
	710		724		Blue shale & gray soapstone				
20 ,	724	11	735	Gray sandstone & shale stks					
35	735	.10	745	Gray sandstone & Cheyenne					
	745		755	Shalë & soapstone					
35	755	11	766	Gray sandstone, uses little w	rater loose, mixed & sack Bran at				
		54	***************************************	760'.					
**********	766	-	770	Soapstone					
	770		780	Red bed & limestone					
4347		1	·840	Red bed few weathered shale 8	limestone stks				
. "	840		850	Red rock & red bed - hard					
	850		864	Beige rock					
	864.		868	Red bed					
30	868	7	875	Beige rock firm - uses very					
	875		890	Beige rock & red rock - hard	***				
	890		900	Red rock - hard					
	900		914	Red bed & limestone - hard					
20	1 914	103	1017	Red sandstone & red stks, us	es very little water, hard to cat				
				fine.					
,	11017		1040	Red bed & few sandstone stks	& soapstone stringers				
15	1040	30	1070	Red sandstone, red bed; shal	e stringers				
10	1070	32	1102	Sandstone red bed & soapstor	ne stringers				
	1102	,	1122	Soapstone & red bed - sticky	y				
10	1122	53	1175	Red sandstone & red bed & so	papstone stks, sticky in places				
	1175		1206	Hard red bed & soapstone str	ringers very few sandstone stks.				
		,							
				Total Depth of Well	770'				
-		1							
		-							
				A + 1 - 1	· · · · · · · · · · · · · · · · · · ·				