


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Haskell	Section number 28	Township number T 28 S	Range number R 33 E
2. Distance and direction from nearest town or city: 5 1/2 West, 6 North of Sublette, Ks. Street address of well location if in city:			3. Owner of well: Ernest Groth R.R. or street: Sublette, Kansas City, state, zip code:		
4. Locate with "X" in section below: 		Sketch map:		6. Bore hole dia. 9 7/8 in. Completion date _____ Well depth 530 ft. 2-27-76	
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Top soil		0	4	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Tan clay		4	53	9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 291 lbs./ft. 100 Dia. 5 in. to 530 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 265	
Med. to lar. sand		53	225	10. Screen: Manufacturer's name Jess & Lowell Type PVC Dia. 5" Slot/gauze 1/8" Length 100' Set between 330 ft. and 390 ft. 490 ft. and 530 ft. Gravel pack? yes Size range of material 3/16"	
Med. to lar. sand (cemented)		225	252	11. Static water level: _____ mo./day/yr. 261 ft. below land surface Date 2/25/76	
Blue XX clay & med. to lar. sand		252	340	12. Pumping level below land surfaces: 268 ft. after 72 hrs. pumping 25 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 250 g.p.m.	
Med sand (loose)		340	531	13. Water sample submitted: _____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____	
Bedrock		531		14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.	
				16. Nearest source of possible contamination: ft. 200 Direction east Type correl Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: Manufacturer's name Aermotor Model number SD19 HP 3 Volts 220 Length of drop pipe 294 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Meade, Kansas 67864 Signed [Signature] Date 3-7-76 Authorized representative	
18. Elevation:		19. Remarks:			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5