County: Haskell	Fraction	SE-NW-NE	Sec	10 T	28 S	R	33	_ E/W
	(to rect	ATER WELL COM ify lacking or incorrec			VWC-5)			
Owner: Oxy USA Inc								
Location was listed as:		Location changed to:						
Section-Township-Range:	10- 28 5-	33 W		10-	28 S - 33	W		
Section-Township-Range: Fraction (¼ ¼ ¼):	None	******		SE-N	W- NE			
Other changes: Initial statements:					***************************************			
Changed to:								
Comments:	,							
Verification method: Direcheus	match section	on, used location	n mup c	on WWCs	Form			
				initials	DF date	e: _	4/15/	14
Submitted by: Kansas Geological Sto: Kansas Dept of Health & Enviro	Survey, Data Reso onment, Bureau o	urces Library, 1930 Co f Water, 1000 SW Jacl	onstant Ave. kson, Suite 4	, Lawrence, k 20, Topeka,	KS 66047-37 KS 66612-13	26 367.		

WATER	R WEL	L RECORD	I	Form W	WC-5	Ι	Division of Wate	er Resources App. N	lo.			
		OF WATER WELL:	Fraction				tion Number		Range 1	Vumber		
		KELL COUNTY KS	1/4	1/4		4	10	T 28 S	R 33	$\Box E$	√W	
		ddress of Well Location						g System (GPS) is				
	from nearest town or intersection: If at owner's address, check here \square .					200	Latitude: (in decimal degrees)					
	Sublete Ks:N on Hwy 83 app 10M to rd ,2M w to rd kk, 1 M N, W&S				S Lor	Longitude: (in decimal degrees)						
into.					Date	Elevation:						
2 WATER WELL OWNER: OXY USA INC HUGOTON ASSET						Collection Method:						
		ddress, Box #: P.O.	BOX 2768				GPS unit (Make/Model:)					
City, State, ZIP Code : ADDISON TX 750012768					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCA	TE WEI	I.				Est.	Accuracy:	<3 m, 3-5 m,] 5-15 m, [>15 n	n	
	I AN "X"	IN 4 DEPTH O	F COMPLET	ED WEL	L 480		ft.					
SECT	ION BOX	X: Denth(s) Groundwater Encountered (1) 352 ft (2) ft (3)								ft.		
-	N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr1-21-14										
		Pump test data: Well water was 415ft. after hours pumping 70 gpm									gpm	
	/ NI	EST. YIELD. 65gpm. Well water was										
W		Bore Hole Diameter 10.75 in. to .480 ft., and in. to										
	.	Domostic		tu As. [Oil field wa	iter sun	ply \square D	ewatering \square	Other (Sp.	ven ecify be	aloud)	
]SW	VSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☑ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well											
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes V No											
E E	If yes, mo/day/yr sample was submitted											
	-1 mile	Water well di	sinfected? 🔽	Yes	No							
		SING USED: S	eel 🗹 PV	C 🗆	Other			******				
CASING	G JOINT	S: Glued C	lamped 🔲	Welded	☐ Thread	ed						
Casing diameter .6												
Casing height above land surface. 24 in., Weight 3.706 lbs./ft., Wall thickness or gauge No. SDR 21-316 TYPE OF SCREEN OR PERFORATION MATERIAL:												
THE RESIDENCE STREET	or SCRE Steel	☐ Stainless Steel	MATERIA. ✓ PVC	L:	1	Other	(Specify)				1941	
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)												
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)												
SCREEN-PERFORATED INTERVALS: From 48 ft. to 380 ft., From ft. to ft. From ft. to ft.												
GRAVEL PACK INTERVALS: From 280 ft. to 480 ft., From ft. to ft.										ft.		
			From		ft. to		ft., From .	ft.	to		ft.	
6 GRO	UT MA	From .1 Neat co	ement Ce	ment grou	it Bent	onite	Other					
Grout In	tervals:	From .1 ft	. to25	ft., Fror	m	ft. to	ft.	, From	ft. to		ft.	
	the neare Septic tar	est source of possible co		35	□ * :							
	Sewer lin		l lines Pit p	ge lagoon	Livestoc		☐ Insecticid☐ Abandone		ther (specif	y below))	
	Watertigi	nt sewer lines 🔲 Seepa	ge pit 🔲 Feed	yard	Fertilizer							
		n well										
FROM	TO		OGIC LOG		FROM	TO	LITHO. I	LOG (cont.) <u>or</u> PL	UGGING	INTER	VALS	
0	6	SURFACE				-						
6 77	77 220	CLAY		0150000	-	-						
220	251	SAND/GRAVEL CLAY/SANDY CLAY	/			-						
251	295	SAND/CLAY STREA										
295	305	CLAY	AINO				+					
305	475	SAND			-							
475	480	CLAY/TAN					1					
3474	1 - 2	A Part of the Control	<u> </u>					41				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo/day/year) .1-21-14 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 430 This Water Well Record was completed on (mo/day/year) .1-21-14												
under the business name of Howard Ding Co Box 806 Beaver Ok 73932. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to												
	Kansas De	partment of Health and Env	ronment, Bureau	of Water, Ge	ology Section,	1000 SV	V Jackson St., Sui	ite 420, Topeka, Kans	as 66612-13	67.		
Telephor	ne 785-296	-5524 Send one copy to W	ATER WELL OW	NER and re	tain one for vo	ur record	Include fee of	\$5.00 for each constru	icted well 3	Jicit ne at	ř.	

http://www.kdheks.gov/waterwell/index.html