

WATER WELL RI		VV VV C-3	33340		ion of Water		W 11 ID		
		e in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1	
		Fraction		Section Number		Township Numb		ige Number	
County:	1/4 1/4	1/4 1/4	D	1 4 1 1 1	T S	R	□E □W		
2 WELL OWNER: La Business:	st Name:	First:		reet or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest town or intersection): If at owner's address, check here:					ineck nere:			
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I		ft	5 Letitud	e:		(daaimal daamaa)	
WITH "X" IN	Depth(s) Groundwater I								
SECTION BOX:		3) ft., or 4				de:			
N	WELL'S STATIC WA								
	☐ below land surface,					GPS (unit make/model:)			
NW   NE	above land surface,	, measured on (mo-d	lay-yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
	Pump test data: Well w								
WE		s pumping			☐ Onli	ne Mapper:			
SW SE		vater wass pumping							
	Estimated Yield:		gpiii	6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	Bore Hole Diameter:		ft. and			☐ Land Survey ☐			
1 mile		in. to		□ O4					
7 WELL WATER TO									
1. Domestic:		ter Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease		
☐ Household		g: how many wells'				e: well ID			
☐ Lawn & Garden		echarge: well ID							
Livestock		g: well ID				mal: how many bore			
2. Irrigation		al Remediation: wel				ed Loop    Horizon			
3. Feedlot	☐ Air Sparge			traction b) Open Loop  Surface Discharge Inj. of Water 13. Other (specify):					
4. Industrial	Recovery								
Was a chemical/bacteri		itted to KDHE?	☐ Yes ☐	No ]	If yes, date sa	ample was submitte	ed:		
Water well disinfected?									
8 TYPE OF CASING									
Casing diameter									
Casing height above land su			Ib:	s./It.	Wall thickne	ss or gauge No			
TYPE OF SCREEN OR  ☐ Steel ☐ Stain	less Steel				□ Oth on	(Specify)			
	anized Steel	_	ne used (ope:	n hole)		(Specify)		• • • • • • • • • • • • • • • • • • • •	
SCREEN OR PERFORA			ic used (ope	ii iioic)					
			Torch Cut	□ Dri	lled Holes	Other (Specify)			
Louvered Shutter	☐ Key Punched ☐ W	ire Wrapped	Saw Cut	☐ No	ne (Open Hole	e)			
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft., F	rom	ft. to	ft., From	ft. to	ft.	
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From ft. to ft., From ft. to ft. to									
Nearest source of possible contamination:									
☐ Septic Tank☐ Sewer Lines	Lateral Line				ivestock Pens uel Storage		cide Storage oned Water		
☐ Watertight Sewer Lines	☐ Cess Pool es ☐ Seepage Pit	☐ Sewage ☐ Feedyar			uei Storage ertilizer Storag			weii	
□ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well       □ Other (Specify)									
Direction from well?		Distance from	n well?			ft			
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS	
							·		
		<u> </u>							
Notes:									
11. 001/201   000000	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged								
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATI	ON: This	water v	well was 🔲 o	constructed, $\square$ reco	onstructed,	or □ plugged	
under my jurisdiction and	u was completed on (m	io-day-year)	Water Wal	and th	ns record is t	rue to the best of m	iy knowledg (ear)	ge and benef.	
under the business name	Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year)								
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1355946

## Litholgy

From	То	LithologicLog
0	28	TOPSOIL
28	48	SAND / GRAVEL
48	68	GRAVEL
68	88	GRAVEL / SANDY CLAY
88	108	GRAVEL
108	128	FINE / MED GRAVEL
128	148	FINE/ MED GRAVEL
148	168	F/M GRAVEL & CEM SAND & SC
168	188	F/M GRAVEL & SAND
188	208	F/M GRAVEL
208	228	SAND & SANDY CLAY
228	268	CLAY / SOME SAND
268	288	CLAY & SANDY CLAY
288	308	F/M GRAVEL & F/M SAND
308	328	SAND & GRAVEL
328	348	F/M SAND & MED GRAVEL
348	368	F/M SAND & SANDY CLAY
368	388	F/M GRAVEL & SANDY CLAY
388	408	F/M GRAVEL / SANDY CLAY / GRAVEL
408	428	C/F GRAVEL & SANDY CLAY
428	468	SANDY CLAY
468	488	F. SAND & SANDY CLAY
	•	•

Form	WWC5	
Contractor	Downey Drilling, Inc.	
Well Owner		
Doc ID	1355946	

## Litholgy

From	То	LithologicLog
488	508	SANDY CLAY / F. GRAVEL & CLAY
508	528	F. GRAVEL & BROKEN ROCK
528	548	CLAY
548	568	OCHRE / SHALE / CLAY
568	588	SHALE / CLAY
588	608	SOME SAND & SHALE
608	628	CLAY / SHALE
628	648	SHALE / SOAPSTONE / SC
648	668	F. SAND / SOAPSTONE / SANDSTONE
668	688	SANDSTONE / FINE SAND
688	702	SANDSTONE / CLAY / SILTSTONE