KOLAR Document ID: 1602882

	WELL R	ECORD Correction		WWC-5			ivision of Wat] Well ID	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				TT.				inge Number			
County: 14 14 14					outon i vanio	T S R DE W					
						Street or R	ural Address	whe	ere well is located		
Business:						direction from	n nearest town o	or inte	rsection): If at owner	r's address	, check here:
Address: Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL										
WITH "				IPLETED WE					:		
SECTIO	N BOX:			Encountered: 1)					le:		
N	1			8) ft., c TER LEVEL:					WGS 84 □ NAI		NAD 27
				measured on (m					Latitude/Longitude		,
NW	NF				neasured on (mo-day-yr)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
	i l	Pump test d	ata: Well w	ater was	f	t.		☐ Land Survey ☐ Topographic Map			
w	E	after		pumpinggpm				Online Mapper:			
SW	X E	-6		ater was							
	ī	Estimated Y		pumping		gpm	6 Elevation:ft. ☐ Ground Le			nd Level ☐ TOC	
	S			gpm in. to		ft. and			Land Survey 🔲		
1 n				in. to					Other		
7 WELL V	WATER TO	BE USED A	AS:				•				
1. Domestic:				ter Supply: well					eld Water Supply: 16		
Housel				g: how many we							
☐ Lawn &				echarge: well ID							
☐ Livesto 2. ☐ Irrigati				g: well ID al Remediation:							
3. ☐ Feedlo] Air Sparge			Extraction					
4. ☐ Industr			Recovery	☐ Inject	_				(specify):		
Was a chei	nical/bacter	iological san	nple subm	itted to KDHF	E? 🗆	Yes □ No			mple was submitte		
	disinfected?				Ш	100 🗀 110	11 500, aa.		mpre was seemed		
				C Other		CAS	ING JOINTS	S: [Glued Clamped	d ☐ Weld	ed Threaded
									in. to		
	t above land s					lbs./ft	. Wall thic	knes	s or gauge No		
	SCREEN OR		ΓΙΟΝ MA								
Steel	_	less Steel			PVC	1./ 1		her (Specify)		
☐ Brass	Gaiva NR PERFOR∆	anized Steel	NINGS AI		none u	ised (open ho	oie)				
		☐ Mill Slot		auze Wrapped	Пта	orch Cut	Drilled Holes	П	Other (Specify)		
_		☐ Key Puncl					None (Open I				
SCREEN-P										ft. t	o ft.
SCREEN-PERFORATED INTERVALS: From									o ft.		
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other											
Grout Intervals: From											
								one	□ Insocti	aida Staras	ro.
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well											
	ght Sewer Lin			☐ Feed			Fertilizer St			ell/Gas Wel	
Other (Specify)							·			
Direction from well?											
10 FROM	TO	I	LITHOLO(GIC LOG		FROM	TO	LIT	THO. LOG (cont.) or	: PLUGGII	NG INTERVALS
						Notes:					
11 CONTDACTODES OD I ANDOWNEDES CEDTIFICATION. This waster well was a constructed a reconstructed as a constructed as a const											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Con	tractor's Lice	ense No	Th	is Wa	ater Well R	ecord was co	mple	eted on (mo-day-y	ear)	
under the b	under the business name of										
No.D	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							ma 705 207 2575			
_	nent of Health ar ttp://www.kdhek			vater, Geology Sec	иоп, 10	JOU S W Jackso	ni St., Suite 420	, тор	ска, канѕаѕ 00012-136		SA 82a-1212
											

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1602882

Lithology

From	То	LithologicLog
0	2	TOPSOIL
2	10	BR CLAY
10	17	LIGHT BR. CLAY
17	25	SANDY CLAY W/ CALICHE
25	89	SANDY CLAY
89	97	F/M/C W/ FINE/MED GRAVEL
97	116	F/M/C GRAVEL W/ F/M/C SAND
116	120	SANDY CLAY W/ FINE SAND
120	150	FINE/MED/COARSE SAND
150	156	SANDY CLAY
156	251	F/M/C W/ F/M GRAVEL
251	260	SANDY CLAY
260	297	BLUE CLAY
297	357	M/C SAND W/ SANDY CLAY & LIMEROCK
357	386	MAG WHITE CLAY
386	394	F/M/C SAND W/ TR OF SANDY CLAY
394	405	FINE/MED/COARSE SAND
405	413	SANDY CLAY W/ F/M/C SAND
413	427	F/M/C SAND W/ FINE GRAVEL
427	436	F/M/C SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1602882

Lithology

Littiology	-	1.60
From	То	LithologicLog
436	443	WHITE CLAY W/ CEM SAND
443	451	FINE GRAVEL
451	467	SANDY CLAY W/ STICKY CLAY
467	485	STICKY CLAY
485	503	SANDY CLAY W/ FINE SAND & LIMEROCK
503	511	F/M /C SAND
511	528	BR STICKY CLAY
528	560	BR CLAY
560	580	SANDY CLAY
580	592	F/M/C SAND W/ SS
592	620	F/M/C SAND W/ F. GRAVEL & BR ROCK
620	625	WEATHERED CLAY
625	636	SS W/ FINE SAND & BR ROCK
636	690	SS W/ FINE SAND & SOAPSTONE